2/19/85 S1565-2(4) B

VITAL STATISTICS summary

Department of Human Services

GOVERNMENT OF THE DISTRICT OF COLUMBIA
MARION BARRY, JR. MAYOR

1982

The Department of Human Services does not discriminate on the basis of race, color, religion, national origin, sex, age, marital status, personal appearance, sexual orientation, family responsibiiities, physical handicap, matriculation or political affiliation.

Vital Statistics Summary
1982

A Report of the Department of Human Services

David E. Rivers
Director

Office of Policy and Planning
Joan Jones, Chief

SYMBOLS USED IN TABLES

Data not Available	---
Not Applicable	...
Rate not Computed Because of Small Frequency	..
Quantity Zero in Frequency Tables	—
Denominator Zero in Rate or Percent Tables	—
Numerator Zero in Rate or Percent Tables	0

CONTENTS

INTRODUCTION

Page

Source of data..... 7
Registration completeness..... 7
Calculation of rates..... 8
Availability of additional data..... 8
Definitions..... 8

VITAL STATISTICS HIGHLIGHTS

TEXT TABLES

Table

A.--Live births and birth rates by race and sex: District of Columbia residents, 1970-1982.... 15

B.--Deaths and death rates by race: District of Columbia residents, 1970-1982:..... 16

C.--Infant and neonatal deaths and death rates by race: District of Columbia residents, 1970-1982..... 17

D.--Three year moving average of infant mortality rate by age at death: District of Columbia residents, 1961-1963 to 1980-1982..... 18

E.--Fetal deaths and death rates by race: District of Columbia residents, 1970-1982..... 19

F.--Perinatal deaths and death rates by race: District of Columbia residents, 1970-1982..... 20

G.--Out-of-wedlock births by race: District of Columbia residents, 1970-1982..... 21

H.--Incidence of low birth weight by race: District of Columbia residents, 1970-1982..... 22

I.--Births to adolescent mothers by race: District of Columbia residents, 1970-1982..... 23

J.--Maternal Mortality: District of Columbia residents, 1970-1982..... 24

K.--Recorded events and resident events in other states: District of Columbia, 1970-1982..... 25

FIGURES

Figure Page

1.--Wards and census tracts..... 26

TABLES

Table

1.--Estimated population by age, race, and sex: District of Columbia, 1982..... 28

2.--Number of total resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1982 and averages, 1945-1979..... 29

3.--Number of black resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1982 and averages, 1945-1979..... 30

4.--Number of white resident live births and deaths, number and rates of infant, neonatal and fetal deaths: District of Columbia, 1975-1982 and averages, 1945-1979..... 31

5.--Out-of-wedlock ratios by age of mother and race: District of Columbia, 1976-1982..... 32

6.--Number and percent distribution of resident live births by live-birth order and race: District of Columbia, 1979-1982 and averages 1965-1979..... 33

7.--Live births by live-birth order, age of mother, and plurality, all races: District of Columbia, 1982..... 34

8.--Live births by live-birth order, age of mother, black residents: District of Columbia, 1982..... 37

9.--Live births by live-birth order, age of mother, white residents: District of Columbia, 1982 38

10.--Live births by ward and age of mother, all residents: District of Columbia, 1982 39

11.--Live births by ward and age of mother, black residents: District of Columbia, 1982 40

12.--Live births by ward and age of mother, white residents: District of Columbia, 1982 41

13.--Number and percent distribution of resident live births and births with selected characteristics (out-of-wedlock, premature, immature, and with inadequate prenatal care) by race and ward: District of Columbia, 1982 42

14.--Resident deaths from 20 leading causes by race and sex: District of Columbia, 1982 45

15.--Resident crude death rates for 20 leading causes, by race and sex: District of Columbia, 1982 46

16.--Principal causes of death of residents by age group and sex with rates: District of Columbia, 1982 47

17.--Number of resident deaths and crude and age-adjusted rates by age, race and sex: District of Columbia, 1982 50

18.--Deaths from 72 selected causes by age, race and sex: District of Columbia, 1982 51

19.--Deaths from 20 leading causes of death by race and ward: District of Columbia residents, 1982 78

20.--Infant deaths and death rates by age and race, and fetal deaths by race: District of Columbia, 1975-1982 and averages, 1950-1979 81

21.--Resident infant deaths and death rates by age: District of Columbia, 1962-1982 82

22.--Infant death rates by ward and age: District of Columbia, 1981-1982 83

23.--Infant deaths by cause and age: District of Columbia, 1982 84

24.--Three year moving average of infant mortality rate by age at death: District of Columbia, 1961-1963 to 1980-1982 87

Page

25.--Live births, out-of-wedlock births, infant deaths, fetal deaths, and total deaths by place of occurrence and residence: District of Columbia, 1982..... 88

26.--Recorded number of live births and deaths; number and rates of infant, neonatal and fetal deaths by race: District of Columbia, 1975-1982 and averages 1940-1979..... 89

27.--Resident live births, out-of-wedlock births, births with no prenatal care, immature births, total deaths and infant deaths by census tract: District of Columbia, 1982..... 92

28.--Recorded deaths from accidental causes by age and type of accident: District of Columbia, 1982..... 99

VITAL STATISTICS SUMMARY

1982

INTRODUCTION

This is a report on vital events (live births, deaths and fetal deaths) for the District of Columbia in calendar year 1982. Although data are included on events occurring within the District to non-residents, primary emphasis is on events occurring to District of Columbia residents. The report was prepared by Warren W. Morse with the assistance of Mary E. Byrnes, under the direction of Grover H. Chamberlain, Chief, Research and Statistics Division, Office of Policy and Planning, Department of Human Services. Tables and Text were verified by Ms. Josie Dyson and Ms. Claudia Higgins.

SOURCE OF DATA. Vital statistics are derived entirely from live birth, death and fetal death certificates. All live births and deaths occurring within the District of Columbia are registered with the Vital Records Branch, Research and Statistics Division, Department of Human Services, as are known fetal deaths of 20 weeks or more gestation. Vital events occurring to District residents in other States are registered in those States, and copies are sent to the Vital Records Branch through a nationwide interchange system.

Vital statistics shown for 1954-1982 have been tabulated by this Division. Statistics for events occurring prior to 1954 were obtained from the National Center for Health Statistics.

The statistics for 1982 cover all 1982 events for which certificates were filed or transcripts received from other States before May 15, 1983. The number of certificates excluded for 1982 or any other year because of late filing is considered negligible for statistical purposes.

REGISTRATION COMPLETENESS. The registration of live births and of deaths in the District of Columbia is considered to be virtually complete. The degree of registration completeness for fetal deaths is not known. D.C. law requires registration only for 20 weeks or over gestation and since the gestation period cannot always be calculated exactly some reportable fetal deaths are probably not registered. It is also possible that some of those which are registered are actually of less than 20 weeks gestation.

CALCULATION OF RATES. Death, birth and fertility rates are based on enumerated population as of April 1 for census years, and on estimated population as of July 1 for all other years. These rates are expressed per 1,000 population except for death rates by cause of death, which are per 100,000 population. Rates are per 1,000 live births for infant deaths, per 10,000 live births for maternal deaths, and per 1,000 deliveries (live births plus fetal deaths) for fetal deaths and perinatal deaths. Comparability of trend data for birth and death rates is limited by the difficulties in preparing reliable estimates of population for intercensal years.

AVAILABILITY OF ADDITIONAL DATA. More detailed information on vital events for 1982 or prior years is available on request from the Chief, Research and Statistics Division, Department of Human Services, 425 I Street, N.W., Washington, D.C. 20001.

DEFINITIONS. Terms used in this report are defined as follows:
Residence is defined as that of the deceased for a death and as that of the mother for a birth or fetal death. Deaths and births in institutions located in the District are allocated to the place of previous residence regardless of length of stay in the institution. All tables refer to resident events except as noted. Most tables refer to resident events which include birth and death certificates received for residents of the city irrespective of where the event occurred. The tables referring to recorded events include births and deaths which occurred in the District of Columbia irrespective of the place of residence given on the certificates.

A live birth is defined as the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which after such expulsion or extraction, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

An immature birth is one for which the birth weight is 2,500 grams or less (5 pounds, 8 ounces or less), regardless of the period of gestation.

A premature birth is one which occurred prior to 37 weeks gestation.

An out-of-wedlock birth is one which occurred to a mother who was separated from spouse or not married at the time of birth and had not been living with spouse or married any time during the preceding 10 months.

A fetal death is defined as death, prior to the complete expulsion or extraction from its mother, of a product of human conception of 20 weeks or more duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus never breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movements of voluntary muscles.

An infant death is the death of a child under one year of age.

A neonatal death is the death of a child under 28 days of age.

The underlying cause of death, by which all deaths are classified, may be defined as (a) the disease or injury which initiated the train of morbid events leading directly to death, or (b) the circumstances of the accident or violence which produced the fatal injury[1]. It is the responsibility of the certifying physician or medical examiner to indicate the underlying cause, and it is the responsibility of the Research and Statistics Division to assign the proper code number so that deaths may be classified by cause. Starting with the 1979 report, causes of death have been coded under the provisions of the "Ninth Revision International Classification of Diseases, adapted for use in the United States" (ICDA).

Leading Causes of Death

Cause-of-death ranking is based on the list of 72 Selected Causes of death, adapted from one of the special lists for mortality tabulations recommended by the World Health Organization for use with the Ninth Revision of the International Classification of Diseases. Two group titles - Major cardiovascular diseases and Symptoms and ill-defined conditions - are not ranked. In addition, category titles that begin with words "Other" or "All other" are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked (e.g., Tuberculosis, all forms), its component parts (in this case of Tuberculosis of respiratory system and Tuberculosis, other forms) are not ranked.

Race: When the word "Black" is used in this report, either in tables or text, it means "Black and other non-white races." The 1980 census found that approximately three percent of the total population was neither black nor white.

[1]Manual of the International Statistical Classification of Disease, Injuries, and Cause of Death, Seventh Revision, 1955, Volume 1, page 357.

Rates used in this report are defined as outlined below:

Birth rate	Number of live births / Estimated midyear population	X 1,000
Out-of-wedlock ratio	Number of out-of-wedlock births / Number of live births	X 1,000
Age-specific rate	Number of live births to women in specific age group / Estimated midyear female population in that age group	X 1,000
Fertility rate	Number of live births / Estimated midyear female population 15-44 years old	X 1,000
Death rate	Number of deaths / Estimated midyear population	X 1,000 (or 100,000) as specified
Age-specific death rate	Number of deaths in specific age group / Estimated midyear population in that age group	X 100,000
Infant death rate	Number of deaths under one year of age / Total number of live births	X 1,000
Neonatal death rate	Number of deaths under 28 days of age / Total number of live births	X 1,000
Fetal death ratio	Number of fetal deaths (gestation 20 week or over) / Total number of live births	X 1,000
Maternal death rate	Number of deaths due to Complications of Pregnancy, Childbirth, and Puerperium / Total number of live births	X 10,000

Ward - In 1976 the eight election wards became the major geographic subdivisions of the city. Figure 1 shows the boundaries of the eight wards.

Table and Chart Identification - Text tables are identified by letters of the alphabet; charts are Figures 1, 2, etc.; and reference tables are identified by number.

POPULATION

The estimated population for 1982, by age, race and sex. is shown in Table 1.

VITAL STATISTICS HIGHLIGHTS: 1982

LIVE BIRTHS: The number of resident live births, 9,378, was only 46 more than in 1981, the smallest year-to year change ever registered. The birth rate, increasing as it has almost every year since the low of 13.5 in 1975, rose to 14.9. Births of blacks dropped slightly, from 7,749 in 1981 to 7,710, while births of whites increased to 1,668, the highest number since the 1,783 reported for 1971. White births have been increasing almost every year since 1975 with the result that they were 17.8 percent of all resident births in 1982 compared with 13.2 percent in 1975 (Table A).

DEATHS: There was a sharp drop in the number of deaths, from 6,846 in 1981 to 6,469 in 1982, with an accompanying drop in the death rate from 10.7 to 10.3. From 1960 through 1970 deaths showed little annual fluctuation, averaging 8,860 a year. Since then the number has generally declined, with the over-all decrease being greater for whites than for blacks (Table B).

EXCESS MORTALITY: When the District's death rates by age and sex are compared with the estimated rates for the United States it can be seen that the District experienced hundreds of excess deaths, in terms of national standards. At ages 1-4 years the death rate for the District (per 100,000 population) was 106.1 compared with 55.5 for the United States (U.S.) - if the U.S. rate had obtained in the District, there would have been 14 deaths in this age group rather than 26. At ages 5-14 years and 15-24 years the District's death rates were lower than the U.S. rates. It was at ages 25 to 64 that excess mortality was greatest. The District and U.S. death rates in 1982 for this age range are shown below by sex and age:

Age Group	Males		Females	
	D.C.	U.S.	D.C.	U.S.
25 - 34	342.1	181.7	126.1	72.7
35 - 44	572.6	271.6	276.4	146.3
45 - 54	1,248.2	730.2	642.9	393.8
55 - 64	2,439.7	1,728.2	1,340.8	910.4

For the population aged 25-64 years the actual numbers of deaths in 1982, the numbers of deaths that would have been expected if U.S. rates had obtained, and the excess deaths (actual minus expected deaths) are as follows, by sex:

	Actual Deaths	Expected Deaths	Excess Deaths
Both Sexes	2,328	1,461	877
Males	1,460	904	556
Females	878	557	321

It is obvious that using U.S. rates as the standards minimizes the extent of excess mortality for District residents, since the national average rates are by definition higher than the best, or lowest, rates. By this minimal measure, in the prime adult years of 25-64, 38 percent of the deaths of males and 37 percent of the deaths of females were excess.

INFANT MORTALITY:--The infant mortality rate of 20.3 and the neonatal mortality rate of 14.6 were the lowest ever recorded for District residents (Table C). The three-year moving average of 22.5 was also a new low (Table D).

FETAL DEATHS:--The fetal death rate of 12.0 was lower than in any previous year except 1979. The trend since 1970 has been uneven, but since 1979 the rate seems to be established at a lower level than in previous years (Table E).

PERINATAL DEATHS:--The perinatal death rate of 26.4 in 1982 was the lowest ever for District residents, reflecting decreases in both fetal and neonatal mortality (Table F).

OUT-OF-WEDLOCK BIRTHS:--For the first time in 22 years the percent of births born out of wedlock decreased from the previous year. It is notable that the figure for 1982, 56.7 percent, was lower than the percentage in any of the three previous years (Table G).

LOW BIRTH WEIGHT:--Since 1970 the low birth weight percentage has averaged 12.9, never varying from the average in any year by as much as a full percentage point. The fact that in this same period the trend of the infant mortality rate has been so strongly downward reflects marked improvement in survival of low birth weight infants (Table H).

ADOLESCENT MOTHERS:--In 1982, for the first time since 1963, fewer than 20.0 percent of all babies were born to teenage mothers. This was due primarily to a drop in the percent of babies born to school-age mothers, those under 18 years of age, from 9.2 in 1981 to 8.3 in 1982. Since 1972, when the percent of births to teenagers was at its all-time high of 28.5, the percentage of all births born to mothers aged 18 and 19 years dropped by 22.1 percent, from 14.5 to 11.3, while the percentage born to mothers under 18 years dropped by almost twice as much, 40.3 percent, from 13.9 to 8.3 (Table I).

MATERNAL MORTALITY:--There were three maternal deaths in 1982, resulting in a rate of 3.2 per 10,000 livebirths. All these deaths were of black women. Since 1972 there has been only one death of a white woman out of a total of 25 maternal deaths, therefore, it might seem that the risk of death as a result of "complications of pregnancy, childbirth or the puerperium" is virtually non-existent for white women. It should be noted, however, that there are relatively few white births. In the 4 years 1979-1982 the maternal mortality of black and white women were, respectively, 2.2 and 1.7.

RECORDED EVENTS, RESIDENT EVENTS OUTSIDE THE DISTRICT OF COLUMBIA:--The number of live births occurring in the District declined steeply from 1970 to 1974, and has since leveled off, averaging just a little over 20,000 since 1974. The number of deaths in the District has declined almost every year since 1970. Resident births occurring outside the District fluctuate year to year in an unpredictable manner, but resident deaths outside the District show a declining trend (Table L).

TABLE A.--LIVE BIRTHS AND BIRTH RATES, BY RACE AND SEX:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Live births						Live births		
	Total		Black		White				
	Number	Rate*	Number	Rate*	Number	Rate*	Male	Female	Sex ratio*
1982.....	9,378	14.9	7,710	16.7	1,668	9.9	4,724	4,654	1,015
1981.....	9,332	14.8	7,749	16.8	1,583	9.4	4,820	4,512	1,068
1980.....	9,257	14.5	7,884	16.9	1,373	8.0	4,759	4,498	1,058
1979.....	9,403	14.2	8,053	16.5	1,350	7.9	4,851	4,552	1,066
1978.....	9,372	13.9	8,004	15.9	1,368	7.9	4,728	4,644	1,018
1977.....	9,885	14.3	8,515	16.4	1,370	8.0	4,985	4,900	1,017
1976.....	9,635	13.6	8,293	15.4	1,342	7.9	4,874	4,761	1,024
1975.....	9,746	13.5	8,462	15.1	1,284	7.9	4,942	4,804	1,029
1974.....	10,037	13.8	8,737	15.6	1,300	7.7	5,105	4,932	1,035
1973.....	10,837	14.7	9,413	16.8	1,424	8.0	5,572	5,265	1,058
1972.....	11,886	15.8	10,518	18.6	1,368	7.3	5,989	5,897	1,016
1971.....	13,914	18.5	12,131	21.9	1,783	8.9	7,082	6,832	1,037
1970.....	14,960	19.8	13,091	24.0	1,869	8.9	7,664	7,296	1,050

*Rate per 1,000 population

*Ratio of Males per 1,000 Females

TABLE B.--DEATHS AND DEATH RATES BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Deaths - all ages					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1982.....	6,469	10.3	4,718	10.2	1,751	10.4
1981.....	6,846	10.7	4,928	10.6	1,918	11.2
1980.....	6,982	10.9	4,888	10.5	2,094	12.2
1979.....	6,734	10.2	4,685	9.6	2,049	12.0
1978.....	6,959	10.3	4,776	9.5	2,183	12.6
1977.....	7,064	10.2	4,828	9.3	2,236	13.0
1976.....	7,238	10.2	4,940	9.2	2,298	13.6
1975.....	7,446	10.3	5,018	9.0	2,428	14.9
1974.....	7,815	10.7	5,200	9.3	2,615	15.5
1973.....	8,017	10.8	5,172	9.2	2,845	15.9
1972.....	8,313	11.0	5,419	9.8	2,894	14.4
1971.....	8,405	11.2	5,429	9.8	2,976	14.8
1970.....	8,690	11.5	5,360	9.8	3,330	15.9

*Rates per 1,000 population

Table C.--INFANT AND NEONATAL DEATHS AND DEATH RATES, BY RACE: DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Infant deaths						Neonatal deaths					
	Total		Black		White		Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*
1982----	190	20.3	180	23.3	10	6.0	137	14.6	134	17.4	3	1.8
1981----	211	22.6	196	25.3	15	9.5	162	17.4	147	19.0	15	9.5
1980----	228	24.6	210	26.6	18	13.1	168	18.1	156	19.8	12	8.7
1979----	207	22.0	199	24.7	8	5.9	159	16.9	152	18.9	7	5.2
1978----	242	25.8	229	28.6	13	9.5	179	19.1	168	21.0	11	8.0
1977----	270	27.3	251	29.5	19	13.9	203	20.3	189	22.2	14	10.2
1976----	240	24.9	230	27.7	10	7.5	193	20.0	188	22.7	5	3.7
1975----	279	28.6	254	30.0	25	19.5	220	22.6	198	23.4	22	17.1
1974----	277	27.6	255	29.2	22	16.9	216	21.5	196	22.4	20	15.4
1973----	276	25.5	245	26.0	31	21.8	208	19.2	185	19.7	23	16.2
1972----	323	27.2	296	28.1	27	19.7	235	19.8	213	20.3	22	16.1
1971----	396	28.5	368	30.3	28	15.7	294	21.1	273	22.5	21	11.8
1970----	432	28.9	389	29.7	43	23.0	339	22.7	303	23.1	36	19.3

*Rates per 1,000 live births.

Table D.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATE BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1961-1963 TO 1980-1982

Year	Rates per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1961-1963---------	34.2	16.2	7.4	2.0	8.6
1962-1964---------	34.0	15.7	7.3	2.2	8.8
1963-1965---------	32.5	14.7	6.9	2.2	8.7
1964-1966---------	33.3	15.9	6.5	2.3	8.5
1965-1967---------	31.8	15.9	6.2	1.8	7.9
1966-1968---------	32.6	16.7	6.5	1.7	7.6
1967-1969---------	30.4	15.7	5.9	1.8	7.0
1968-1970---------	29.9	15.0	5.9	2.2	6.8
1969-1971---------	28.8	14.4	5.6	2.1	6.6
1970-1972---------	28.2	13.4	5.8	2.0	7.0
1971-1973---------	27.1	12.3	5.7	2.0	7.0
1972-1974---------	26.8	11.7	5.8	2.7	6.6
1973-1975---------	27.2	12.1	6.1	2.8	6.1
1974-1976---------	27.0	12.4	6.3	2.7	5.7
1975-1977---------	26.9	12.4	6.2	2.5	5.9
1976-1978---------	26.0	11.9	5.8	2.2	6.1
1977-1979---------	25.0	11.5	5.1	2.2	6.2
1978-1980---------	24.2	11.1	5.1	1.9	6.1
1979-1981---------	23.1	10.5	5.1	1.9	5.6
1980-1982---------	22.5	9.6	5.3	1.8	5.8

Table E.--FETAL DEATHS AND DEATH RATES, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Fetal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1982	114	12.0	104	13.3	10	6.0
1981	123	13.0	115	14.6	8	5.0
1980	126	13.4	103	12.9	23	16.5
1979	112	11.8	100	12.3	12	8.8
1978	137	14.4	125	15.4	12	8.7
1977	160	15.9	152	17.5	8	5.8
1976	169	17.2	154	18.2	15	11.1
1975	149	15.1	138	16.0	11	8.5
1974	140	13.8	127	14.3	13	9.9
1973	141	12.8	127	13.3	14	9.7
1972	250	20.6	216	20.1	34	24.3
1971	286	20.1	240	19.4	46	25.2
1970	258	17.0	228	17.1	30	15.8

*Rate per 1,000 deliveries.

Table F.--PERINATAL DEATHS AND DEATH RATES, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982
(Neonatal plus fetal deaths)

Year	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1982----------	251	26.4	238	30.5	13	7.7
1981----------	285	30.1	262	33.3	23	14.5
1980----------	294	31.3	259	32.4	35	25.1
1979----------	271	28.5	252	30.9	19	14.0
1978----------	316	33.2	293	36.0	23	16.7
1977----------	363	35.7	336	38.8	22	16.0
1976----------	362	36.5	341	40.4	17	12.6
1975----------	369	37.3	336	39.1	33	25.5
1974----------	356	35.0	323	36.4	33	25.1
1973----------	349	31.8	326	34.2	37	25.7
1972----------	485	40.0	429	40.0	56	39.9
1971----------	580	40.8	513	41.5	67	36.6
1970----------	597	39.2	531	39.9	66	34.8

*Rate per 1,000 deliveries.

Table G.--OUT-OF-WEDLOCK BIRTHS BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Out-of-wedlock births					
	Total		Black		White	
	Number	Per-cent	Number	Per-cent	Number	Per-cent
1982	5,316	56.7	5,066	65.7	250	15.0
1981	5,483	58.8	5,175	66.8	308	19.5
1980	5,369	58.0	5,135	65.1	234	17.0
1979	5,443	57.9	5,255	65.3	188	13.9
1978	5,186	55.3	5,016	62.7	170	12.4
1977	5,243	53.0	5,074	59.6	169	12.3
1976	5,065	52.6	4,886	58.9	179	13.3
1975	4,988	51.2	4,822	57.0	166	12.9
1974	4,994	49.8	4,801	55.0	193	14.8
1973	5,061	46.7	4,856	51.6	205	14.4
1972	5,509	46.3	5,359	51.0	150	11.0
1971	5,974	42.9	5,740	47.3	234	13.1
1970	6,104	40.8	5,855	44.7	249	13.3

Table H.--INCIDENCE OF LOW BIRTH WEIGHT, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Births of 2,500 grams or less					
	Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent
1982	1,212	12.9	1,113	14.4	99	5.9
1981	1,205	12.9	1,108	14.3	97	6.1
1980	1,214	13.1	1,130	14.3	84	6.1
1979	1,195	12.7	1,123	13.9	72	5.3
1978	1,239	13.2	1,143	14.3	96	7.0
1977	1,330	13.5	1,239	14.6	91	6.6
1976	1,217	12.6	1,136	13.7	81	6.0
1975	1,333	13.7	1,255	14.8	78	6.1
1974	1,325	13.2	1,245	14.2	80	6.2
1973	1,349	12.4	1,256	13.3	93	6.5
1972	1,490	12.5	1,407	13.4	83	6.1
1971	1,731	12.4	1,631	13.4	100	5.6
1970	1,959	13.1	1,795	13.7	164	8.8

Table I.--BIRTHS TO ADOLESCENT MOTHERS, BY RACE:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Births to mothers under 20 years of age						Births to mothers under 18 years of age					
	Total		Black		White		Total		Black		White	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
1982-----	1,843	19.7	1,758	22.8	85	5.1	783	8.3	756	9.8	27	1.6
1981-----	1,946	20.9	1,857	24.0	89	5.6	863	9.2	838	10.8	25	1.6
1980-----	1,932	20.9	1,864	23.6	68	5.0	833	9.0	821	10.4	22	1.6
1979-----	2,145	22.8	2,063	25.6	82	6.1	959	10.2	933	11.6	26	1.9
1978-----	2,087	22.3	2,013	25.1	74	5.4	968	10.3	933	11.7	35	2.6
1977-----	2,253	22.8	2,188	25.7	65	4.7	1,053	10.7	1,030	12.1	23	1.7
1976-----	2,356	24.5	2,264	27.3	92	6.9	1,107	11.5	1,070	12.9	37	2.8
1975-----	2,636	27.0	2,523	29.8	113	8.8	1,232	12.6	1,178	13.9	54	4.2
1974-----	2,809	28.0	2,684	30.7	125	9.6	1,343	13.4	1,285	14.7	58	4.5
1973-----	3,028	27.9	2,903	30.8	125	8.8	1,499	13.8	1,437	15.3	62	4.4
1972-----	3,386	28.5	3,314	31.5	72	5.3	1,657	13.9	1,635	15.5	22	1.6
1971-----	3,822	27.5	3,682	30.4	140	7.9	1,783	12.8	1,746	14.4	37	2.1
1970-----	4,007	26.8	3,851	29.4	156	8.3	1,861	12.4	1,820	13.9	41	2.2

TABLE J.--MATERNAL MORTALITY:
DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Maternal deaths					
	Total		Black		White	
	Number	Rate*	Number	Rate*	Number	Rate*
1982...	3	3.2	3	3.9	-	0
1981...	1	1.1	1	1.3	-	0
1980...	1	1.1	1	1.3	-	0
1979...	3	3.2	2	2.5	1	7.4
1978...	-	0	-	0	-	0
1977...	3	3.0	3	3.5	-	0
1976...	2	2.1	2	2.4	-	0
1975...	4	4.1	4	4.7	-	0
1974...	4	4.0	4	4.6	-	0
1973...	2	1.8	2	2.1	-	0
1972...	2	1.7	2	1.9	-	0
1971...	4	2.9	3	2.5	1	5.6
1970...	11	7.4	10	7.6	1	5.4

*Rate per 10,000 live births.

TABLE K.--RECORDED EVENTS, AND RESIDENT EVENTS IN OTHER STATES: DISTRICT OF COLUMBIA RESIDENTS, 1970-1982

Year	Recorded events - in D.C.		Resident events - outside D.C.	
	Births	Deaths	Births	Deaths
1982.....	19,933	8,508	524	484
1981.....	20,209	8,678	530	612
1980	20,262	8,815	373	623
1979.....	20,157	8,619	368	560
1978.....	19,743	8,755	413	649
1977.....	20,653	8,987	436	621
1976.....	19,916	9,183	431	716
1975.....	19,826	9,423	359	731
1974.....	19,865	9,786	337	814
1973.....	20,696	9,850	383	927
1972.....	22,600	10,153	413	961
1971.....	25,932	10,291	473	1,024
1970.....	28,141	10,526	562	1,105



Figure 1. Map of D.C. Showing Wards

BEST AVAILABLE COPY

Tables

Table 1.--ESTIMATED POPULATION BY AGE, RACE, AND SEX: DISTRICT OF COLUMBIA, 1982

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
Total...	629,100	292,400	336,700	461,400	213,100	248,300	167,700	79,300	88,400
Under 5.....	33,700	17,000	16,700	28,900	14,600	14,300	4,800	2,400	2,400
5-9.....	32,800	16,600	16,200	29,000	14,600	14,400	3,800	2,000	1,800
10-14.....	39,700	20,000	19,700	35,300	17,700	17,600	4,400	2,300	2,100
15-19.....	49,800	24,900	24,900	42,500	21,100	21,400	7,300	3,800	3,500
20-24.....	70,600	32,700	37,900	48,400	22,500	25,900	22,200	10,200	12,000
25-29.....	69,700	32,300	37,400	45,400	20,800	24,600	24,300	11,500	12,800
30-34.....	58,200	28,200	30,000	39,200	18,200	21,000	19,000	10,000	9,000
35-39.....	42,900	20,800	22,100	28,600	13,100	15,500	14,300	7,700	6,600
40-44.....	34,100	16,400	17,700	25,000	11,400	13,600	9,100	5,000	4,100
45-49.....	29,600	14,000	15,600	22,800	10,400	12,400	6,800	3,600	3,200
50-54.....	30,800	14,200	16,600	23,500	10,500	13,000	7,300	3,700	3,600
55-59.....	33,200	14,800	18,400	25,100	11,100	14,000	8,100	3,700	4,400
60-64.....	30,500	13,400	17,100	22,300	9,700	12,600	8,200	3,700	4,500
65 and Over..	73,500	27,100	46,400	45,400	17,400	28,000	28,100	9,700	18,400

Table 2.--NUMBER OF TOTAL RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1982 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
1982	9,378	6,469	190	137	114	20.3	14.6	12.2
1981	9,332	6,846	211	162	123	22.6	17.4	13.2
1980	9,257	6,982	228	168	126	24.6	18.1	13.6
1979	9,403	6,734	207	159	112	22.0	16.9	11.9
1978	9,372	6,959	242	179	137	25.8	19.1	14.6
1977	9,885	7,064	270	203	160	27.3	20.5	16.2
1976	9,635	7,238	240	193	169	24.9	20.0	17.5
1975	9,746	7,446	279	220	149	28.6	22.6	15.3
AVERAGE ANNUAL								
1975-1979	9,608	7,088	248	191	146	25.8	19.9	15.2
1970-1974	12,327	8,248	341	258	215	27.7	20.9	17.4
1965-1969	15,796	8,873	511	387	314	32.3	24.5	19.9
1960-1964	19,768	8,881	684	513	370	34.6	26.0	18.7
1955-1959	19,739	8,559	678	520	355	34.3	26.3	18.0
1950-1954	20,514	8,392	628	499	398	30.6	24.3	19.4
1945-1949	19,411	8,324	669	516	441	34.5	26.6	22.7

[1] Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2] Per 1,000 live births.

Table 3.--NUMBER OF BLACK RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1982 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
1982	7,710	4,718	180	134	104	23.3	17.4	13.5
1981	7,749	4,928	196	147	115	25.3	19.0	14.8
1980	7,884	4,888	210	156	103	26.6	19.8	13.1
1979	8,053	4,685	199	152	100	24.7	18.9	12.4
1978	8,004	4,776	229	168	125	28.6	21.0	15.6
1977	8,515	4,828	251	189	152	29.5	22.2	17.9
1976	8,293	4,940	230	188	154	27.7	22.7	18.6
1975	8,462	5,018	254	198	138	30.0	23.4	16.3
AVERAGE ANNUAL								
1975-1979	8,265	4,849	233	179	134	28.2	21.7	16.2
1970-1974	10,778	5,316	311	234	188	28.9	21.7	17.4
1965-1969	13,148	5,183	451	339	276	34.3	25.8	21.0
1960-1964	14,225	4,463	542	402	295	38.1	28.3	20.7
1955-1959	12,581	3,733	498	374	258	39.6	29.7	20.5
1950-1954	9,814	3,231	337	255	237	34.3	26.0	24.1
1945-1949	7,105	3,029	302	221	230	42.5	31.1	32.4

[1]Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2]Per 1,000 live births.

Table 4.--NUMBER OF WHITE RESIDENT LIVE BIRTHS AND DEATHS, NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS: DISTRICT OF COLUMBIA 1975-1982 AND AVERAGES 1945-1979

Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
1982	1,668	1,751	10	3	10	6.0	1.8	6.0
1981	1,583	1,918	15	15	8	9.5	9.5	5.1
1980	1,373	2,094	18	12	23	13.1	8.7	16.8
1979	1,350	2,049	8	7	12	5.9	5.2	8.9
1978	1,368	2,183	13	11	12	9.5	8.0	8.8
1977	1,370	2,236	19	14	8	13.9	10.2	5.8
1976	1,342	2,298	10	5	15	7.5	3.7	11.2
1975	1,284	2,428	25	22	11	19.5	17.1	8.6
AVERAGE ANNUAL								
1975-1979	1,343	2,239	15	12	12	11.2	8.9	8.9
1970-1974	1,549	2,932	30	24	27	19.4	15.5	17.4
1965-1969	2,648	3,690	60	48	38	22.7	18.1	14.4
1960-1964	5,543	4,418	142	111	75	25.3	20.0	13.5
1955-1959	7,158	4,826	180	146	97	25.1	20.4	13.6
1950-1954	10,700	5,161	291	244	161	27.2	22.8	15.0
1945-1949	12,306	5,295	267	295	212	29.8	24.0	17.2

[1] Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2] Per 1,000 live births.

Table 5.--OUT-OF-WEDLOCK RATIOS BY AGE OF MOTHER AND RACE: DISTRICT OF COLUMBIA, 1976-1982

Year and Race	Total[1]	Age of mother (in years)						
		Under 15	15-19	20-24	25-29	30-34	35-39	40 and over
TOTAL								
1982	566.9	1000.0	924.6	691.1	452.1	277.4	188.7	186.3
1981	587.5	1000.0	913.3	706.4	470.9	277.1	226.6	362.6
1980	580.0	1000.0	917.8	690.1	434.9	275.9	233.1	200.0
1979	578.9	1000.0	921.4	684.7	423.1	229.5	226.1	292.7
1978	553.4	1000.0	914.3	632.6	386.3	232.3	214.5	247.1
1977	530.4	977.0	900.3	604.9	333.1	216.0	209.0	252.9
1976	525.7	977.8	901.1	585.0	320.5	174.1	209.2	174.4
BLACK								
1982	657.1	1000.0	945.1	727.2	512.6	397.9	295.0	280.7
1981	667.8	1000.0	931.9	739.2	529.5	378.1	300.0	500.0
1980	651.3	1000.0	929.9	716.6	488.7	378.1	318.8	236.4
1979	652.6	1000.0	933.7	704.6	479.1	341.6	329.8	338.7
1978	626.7	1000.0	928.1	664.9	444.4	334.8	310.5	272.7
1977	595.9	976.7	913.9	638.3	380.9	300.3	256.0	312.5
1976	589.2	977.0	911.3	614.9	374.7	237.9	278.6	215.4
WHITE								
1982	149.9	1000.0	500.0	320.0	152.7	73.6	60.5	66.7
1981	194.6	-	539.3	367.6	184.1	101.4	137.9	121.2
1980	170.4	1000.0	578.1	350.5	156.8	72.0	99.5	120.0
1979	139.3	1000.0	617.3	349.4	121.5	34.0	76.1	150.0
1978	124.3	1000.0	528.6	235.8	101.0	39.5	71.9	157.9
1977	123.4	1000.0	453.1	211.2	99.3	57.7	101.6	87.0
1976	133.4	1000.0	651.7	202.6	89.6	52.4	61.1	47.6

[1]Includes age of mother not stated which is not shown separately.
NOTE: Ratios per 1,000 live births in specified groups.

Table 6.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS BY LIVE-BIRTH ORDER AND RACE: DISTRICT OF COLUMBIA, 1979-1982 AND AVERAGES 1965-1979

Live birth order and race	Number							Percent						
					Annual average							Annual average		
	1982	1981	1980	1979	1975-1979	1970-1974	1965-1969	1982	1981	1980	1979	1975-1979	1970-1974	1965-1969
Total	9,378	9,332	9,257	9,403	9,608	12,326	15,796	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child	4,570	4,605	4,437	4,535	4,573	5,824	6,444	48.7	49.3	47.9	48.2	47.6	47.2	40.8
Second child	2,622	2,522	2,575	2,544	2,653	3,244	3,785	28.0	27.0	27.8	27.1	27.6	26.3	24.0
Third child	1,213	1,236	1,247	1,290	1,270	1,543	2,116	12.9	13.2	13.5	13.7	13.2	12.5	13.4
Fourth child	555	543	508	554	569	781	1,291	5.9	5.8	5.5	5.9	5.9	6.3	8.2
Fifth child	225	241	231	251	271	410	819	2.4	2.6	2.5	2.7	2.8	3.3	5.2
Sixth child	102	98	131	104	127	224	540	1.1	1.1	1.4	1.1	1.3	1.8	3.4
Seventh child	43	50	66	61	75	127	332	0.5	0.5	0.7	0.6	0.8	1.0	2.1
Eighth child and over	43	29	53	52	60	173	469	0.5	0.3	0.6	0.6	0.6	1.4	3.0
Not stated	5	8	9	12	10	-	-	0.1	0.1	0.1	0.1	0.1	0	0
Black	7,710	7,749	7,884	8,053	8,265	10,778	13,148	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child	3,667	3,737	3,675	3,792	3,832	4,967	5,081	47.6	48.2	46.6	47.1	46.4	46.1	38.6
Second child	2,145	2,079	2,180	2,140	2,263	2,806	3,108	27.8	26.8	27.7	26.6	27.4	26.0	23.6
Third child	1,028	1,057	1,115	1,162	1,136	1,393	1,806	13.3	13.6	14.1	14.4	13.7	12.9	13.7
Fourth child	490	484	460	516	525	727	1,146	6.4	6.2	5.8	6.4	6.4	6.7	8.7
Fifth child	201	219	214	232	253	384	754	2.6	2.8	2.7	2.9	3.1	3.6	5.7
Sixth child	92	89	124	94	118	212	499	1.2	1.1	1.6	1.2	1.4	2.0	3.8
Seventh child	40	49	59	57	72	123	311	0.5	0.6	0.7	0.7	0.9	1.1	2.4
Eighth child and over	42	27	48	48	56	166	443	0.5	0.3	0.6	0.6	0.7	1.5	3.4
Not stated	5	8	9	12	10	-	-	0.1	0.1	0.1	0.1	0.1	0	0
White	1,668	1,583	1,373	1,350	1,343	1,548	2,648	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First child	903	868	762	743	741	857	1,363	54.1	54.8	55.5	55.0	55.2	55.4	51.5
Second child	477	443	395	404	391	438	677	28.6	28.0	28.8	29.9	29.1	28.3	25.6
Third child	185	179	132	128	133	150	310	11.1	11.3	9.6	9.5	9.9	9.7	11.7
Fourth child	65	59	48	38	44	54	145	3.9	3.7	3.5	2.8	3.3	3.5	5.5
Fifth child	24	22	17	19	19	26	65	1.4	1.4	1.2	1.4	1.4	1.7	2.5
Sixth child	10	9	7	10	9	12	41	0.6	0.6	0.5	0.7	0.7	0.8	1.5
Seventh child	3	1	7	4	3	4	21	0.2	0.1	0.5	0.3	0.2	0.3	0.8
Eighth child and over	1	2	5	4	3	7	26	0.1	0.1	0.4	0.3	0.2	0.5	1.0
Not stated	-	-	-	-	-	-	-	0	0	0	0	0	0	0

Table 7.--LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1982

Age of Mother and Plurality	Live Birth Order											
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	N.S.
Total	9,378	4,570	2,622	1,213	555	225	102	43	20	18	5	5
Less than 15 years	66	66	-	-	-	-	-	-	-	-	-	-
11 and under	-	-	-	-	-	-	-	-	-	-	-	-
12	2	2	-	-	-	-	-	-	-	-	-	-
13	12	12	-	-	-	-	-	-	-	-	-	-
14	52	52	-	-	-	-	-	-	-	-	-	-
15-19 years	1,777	1,400	321	51	5	-	-	-	-	-	-	-
15	127	122	5	-	-	-	-	-	-	-	-	-
16	201	169	30	1	1	-	-	-	-	-	-	-
17	389	320	66	3	-	-	-	-	-	-	-	-
18	511	385	99	26	1	-	-	-	-	-	-	-
19	549	404	121	21	3	-	-	-	-	-	-	-
20-24 years	2,820	1,470	867	326	120	34	1	1	1	-	-	-
25-29 years	2,338	845	733	433	208	73	25	14	4	2	1	-
30-34 years	1,644	567	498	271	154	75	46	15	9	7	1	1
35-39 years	620	191	182	109	59	32	23	9	5	6	3	1
40-44 years	96	24	16	19	9	11	7	4	-	3	-	3
45 and over	6	1	2	2	-	-	-	-	1	-	-	-
Not stated	11	6	3	2	-	-	-	-	-	-	-	-

Table 7.--LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1982-CONTINUED

Age of Mother and Plurality	Live Birth Order											
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Single Births.....	9,175	4,514	2,547	1,177	536	220	98	42	18	16	4	3
Less than 15 years.....	66	66	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	2	2	-	-	-	-	-	-	-	-	-	-
13.....	12	12	-	-	-	-	-	-	-	-	-	-
14.....	52	52	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1,753	1,389	309	50	5	-	-	-	-	-	-	-
15.....	125	121	4	-	-	-	-	-	-	-	-	-
16.....	193	165	26	1	1	-	-	-	-	-	-	-
17.....	387	320	65	2	-	-	-	-	-	-	-	-
18.....	505	382	96	26	1	-	-	-	-	-	-	-
19.....	543	401	118	21	3	-	-	-	-	-	-	-
20-24 years.....	2,738	1,443	831	311	116	34	1	1	1	-	-	-
25-29 years.....	2,292	835	718	423	202	71	24	14	3	1	1	-
30-34 years.....	1,611	562	489	263	148	73	44	15	8	7	1	1
35-39 years.....	604	188	179	107	56	31	22	8	5	5	2	1
40-44 years.....	94	24	16	19	9	11	7	4	-	3	-	1
45 and over.....	6	1	2	2	-	-	-	-	1	-	-	-
Not stated.....	11	6	3	2	-	-	-	-	-	-	-	-

Table 7.—LIVE BIRTHS BY LIVE BIRTH ORDER, AGE OF MOTHER AND PLURALITY, ALL RACES: DISTRICT OF COLUMBIA, 1982-CONTINUED

Age of Mother and Plurality	Live Birth Order											
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Plural Births.....	203	56	75	36	19	5	4	1	2	2	1	2
Less than 15 years.....	-	-	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13.....	-	-	-	-	-	-	-	-	-	-	-	-
14.....	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years.....	24	11	12	1	-	-	-	-	-	-	-	-
15.....	2	1	1	-	-	-	-	-	-	-	-	-
16.....	8	4	4	-	-	-	-	-	-	-	-	-
17.....	2	-	1	1	-	-	-	-	-	-	-	-
18.....	6	3	3	-	-	-	-	-	-	-	-	-
19.....	6	3	3	-	-	-	-	-	-	-	-	-
20-24 years.....	82	27	36	15	4	-	-	-	-	-	-	-
25-29 years.....	46	10	15	10	6	2	1	-	1	1	-	-
30-34 years.....	33	5	9	8	6	2	2	-	1	-	-	-
35-39 years.....	16	3	3	2	3	1	1	1	-	1	1	-
40-44 years.....	2	-	-	-	-	-	-	-	-	-	-	2
45 and over.....	-	-	-	-	-	-	-	-	-	-	-	-
Not stated.....	-	-	-	-	-	-	-	-	-	-	-	-

Table 8.--LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1982

Age of Mother	Live Birth Order											
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Total.....	7,710	3,667	2,145	1,028	490	20i	92	40	20	17	5	5
Less than 15 years.....	63	63	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	2	2	-	-	-	-	-	-	-	-	-	-
13.....	11	11	-	-	-	-	-	-	-	-	-	-
14.....	50	50	-	-	-	-	-	-	-	-	-	-
15-19 years.....	1,695	1,329	312	49	5	-	-	-	-	-	-	-
15.....	125	120	5	-	-	-	-	-	-	-	-	-
16.....	196	165	29	1	1	-	-	-	-	-	-	-
17.....	372	304	65	3	-	-	-	-	-	-	-	-
18.....	491	368	97	25	1	-	-	-	-	-	-	-
19.....	511	372	116	20	3	-	-	-	-	-	-	-
20-24 years.....	2,570	1,315	809	301	112	30	1	1	1	-	-	-
25-29 years.....	1,945	616	635	395	189	65	24	14	4	2	1	-
30-34 years.....	1,033	259	296	202	130	72	42	14	9	7	1	1
35-39 years.....	339	72	85	70	47	24	18	8	5	6	3	1
40-44 years.....	52	8	5	7	7	10	7	3	-	2	-	3
45 and over.....	5	1	1	2	-	-	-	-	1	-	-	-
Not stated.....	8	4	2	2	-	-	-	-	-	-	-	-

TABLE 9.--LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1982

Age of Mother	Live Birth Order											
	Total	1st	2nd	3rd	4th	5th	6th	7th	8th	9th	10th & Over	Not stated
Total.....	1,668	903	477	185	65	24	10	3	-	1	-	-
Less than 15 years.....	3	3	-	-	-	-	-	-	-	-	-	-
11 and under.....	-	-	-	-	-	-	-	-	-	-	-	-
12.....	-	-	-	-	-	-	-	-	-	-	-	-
13...	1	1	-	-	-	-	-	-	-	-	-	-
14.....	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years.....	82	71	9	2	-	-	-	-	-	-	-	-
15.....	2	2	-	-	-	-	-	-	-	-	-	-
16.....	5	4	1	-	-	-	-	-	-	-	-	-
17.....	17	16	1	-	-	-	-	-	-	-	-	-
18.....	20	17	2	1	-	-	-	-	-	-	-	-
19.....	38	32	5	1	-	-	-	-	-	-	-	-
20-24 years.....	250	155	58	25	8	4	-	-	-	-	-	-
25-29 years.....	393	229	98	38	19	8	1	-	-	-	-	-
30-34 years.....	611	308	202	69	24	3	4	1	-	-	-	-
35-39 years.....	281	119	97	39	12	8	5	1	-	-	-	-
40-44 years.....	44	16	11	12	2	1	-	1	-	1	-	-
45 and over.....	1	-	1	-	-	-	-	-	-	-	-	-
Not stated.....	3	2	1	-	-	-	-	-	-	-	-	-

Table 10.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, ALL RESIDENTS: DISTRICT OF COLUMBIA, 1982

Ward	Total	Age of Mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	9,378	66	1,777	2,820	2,338	1,644	620	96	6	11
Ward 1.....	1,314	12	217	394	338	236	100	14	-	3
Ward 2.....	921	7	175	256	227	178	68	8	1	1
Ward 3.....	720	-	9	54	167	315	149	24	2	-
Ward 4.....	981	2	130	298	288	178	71	11	1	2
Ward 5.....	1,178	7	285	385	291	148	52	8	1	1
Ward 6.....	1,105	5	213	326	275	199	73	11	1	2
Ward 7.....	1,442	19	323	493	353	184	61	9	-	-
Ward 8.....	1,684	14	419	604	391	198	45	11	-	2
Not reported.....	33	-	6	10	8	8	1	-	-	-

Table 11.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, BLACK RESIDENTS: DISTRICT OF COLUMBIA, 1982

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	7,710	63	1,695	2,570	1,945	1,033	339	52	5	8
Ward 1.....	919	10	182	308	231	127	53	7	-	1
Ward 2.....	715	7	157	214	187	110	33	5	1	1
Ward 3.....	102	-	4	17	34	31	14	1	1	-
Ward 4.....	907	2	130	286	276	141	61	8	1	2
Ward 5.....	1,121	7	280	374	272	132	46	8	1	1
Ward 6.....	951	5	212	318	242	131	34	6	1	2
Ward 7.....	1,408	18	322	480	344	177	60	7	-	-
Ward 8.....	1,556	14	402	564	352	176	37	10	-	1
Not reported.....	31	-	6	9	7	8	1	-	-	-

Table 12.--LIVE BIRTHS BY WARD AND AGE OF MOTHER, WHITE RESIDENTS: DISTRICT OF COLUMBIA, 1982

Ward	Total	Age of mother (in years)								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Not Stated
Total.....	1,668	3	82	250	393	611	281	44	1	3
Ward 1.....	395	2	35	86	107	109	47	7	-	2
Ward 2.....	206	-	18	42	40	68	35	3	-	-
Ward 3.....	618	-	5	37	133	284	135	23	1	-
Ward 4.....	74	-	-	12	12	37	10	3	-	-
Ward 5.....	57	-	5	11	19	16	6	-	-	-
Ward 6.....	154	-	1	8	33	68	39	5	-	-
Ward 7.....	34	1	1	13	9	7	1	2	-	-
Ward 8.....	128	-	17	40	39	22	8	1	-	1
Not reported.....	2	-	-	1	1	-	-	-	-	-

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1982

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
ALL RACES										
Total live births	9,378	1,314	921	720	981	1,178	1,105	1,442	1,684	33
Percent distribution	100.0	14.0	9.8	7.7	10.5	12.6	11.8	15.4	18.0	0.4
Out-of-wedlock births										
Number	5,316	690	535	49	501	752	662	981	1,129	17
Ratio per 1,000 live births	566.9	525.1	574.7	68.1	510.7	638.4	599.1	680.3	670.4	515.2
Premature births[1]										
Number	1,519	200	156	46	145	186	186	288	305	7
Percent of total births	16.2	15.2	16.9	6.4	14.8	15.8	16.8	20.0	18.1	21.2
Percent distribution	100.0	13.2	10.3	3.0	9.5	12.2	12.2	19.0	20.1	0.5
Immature births[2]										
Number	1,212	155	139	33	117	153	165	211	234	5
Percent of total births	12.9	11.8	15.1	4.6	11.9	13.0	14.9	14.6	13.9	15.2
Percent distribution	100.0	12.8	11.5	2.7	9.7	12.6	13.6	17.4	19.3	0.4
Inadequate prenatal care[3]										
Number	534	105	61	11	71	79	47	65	93	2
Percent of total births	5.7	8.0	6.6	1.5	7.2	6.7	4.3	4.5	5.5	6.1
Percent distribution	100.0	19.7	11.4	2.1	13.3	14.8	8.8	12.2	17.4	0.4

[1]Less than 37 weeks period of gestation.

[2]Birth weight of 2,500 grams or less.

[3]Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1982-CONTINUED

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
BLACK										
Total live births	7,710	919	715	102	907	1,121	951	1,408	1,556	31
Percent distribution	100.0	11.9	9.3	1.3	11.8	14.5	12.3	18.3	20.2	0.4
Out-of-wedlock births										
Number	5,066	582	488	15	491	739	649	971	1,114	17
Ratio per 1,000 live births	657.1	633.3	682.5	147.1	541.3	659.2	682.4	689.6	715.9	548.4
Premature births[1]										
Number	1,389	163	136	10	136	181	176	285	296	6
Percent of total births	18.0	17.7	19.0	9.8	15.0	16.1	18.5	20.2	19.0	19.4
Percent distribution	100.0	11.7	9.8	0.7	9.8	13.0	12.7	20.5	21.3	0.4
Immature births[2]										
Number	1,113	129	127	4	112	147	156	209	225	4
Percent of total births	14.4	14.0	17.8	3.9	12.3	13.1	16.4	14.8	14.5	12.9
Percent distribution	100.0	11.6	11.4	0.4	10.1	13.2	14.0	18.8	20.2	0.4
Inadequate prenatal care[3]										
Number	479	81	50	2	69	78	46	64	87	2
Percent of total births	6.2	8.8	7.0	2.0	7.6	7.0	4.8	4.5	5.6	6.5
Percent distribution	100.0	16.9	10.4	0.4	14.4	16.3	9.6	13.4	18.2	0.4

[1] Less than 37 weeks period of gestation.

[2] Birth weight of 2,500 grams or less.

[3] Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 13.--NUMBER AND PERCENT DISTRIBUTION OF RESIDENT LIVE BIRTHS, AND BIRTHS WITH SELECTED CHARACTERISTICS (OUT-OF-WEDLOCK, PREMATURE, IMMATURE, AND WITH INADEQUATE PRENATAL CARE) BY RACE AND WARD: DISTRICT OF COLUMBIA, 1982-CONTINUED

Race and Selected Characteristics	Total	Ward								
		1	2	3	4	5	6	7	8	Unknown
WHITE										
Total live births.....	1,668	395	206	618	74	57	154	34	128	2
Percent distribution.....	100.0	23.7	12.4	37.1	4.4	3.4	9.2	2.0	7.7	0.1
Out-of-wedlock births										
Number.....	250	108	47	34	10	13	13	10	15	-
Ratio per 1,000 live births..	149.9	273.4	228.2	55.0	135.1	228.1	84.4	294.1	117.2	0
Premature births[1]										
Number.....	130	37	20	36	9	5	10	3	9	1
Percent of total births.....	7.8	9.4	9.7	5.8	12.2	8.8	6.5	8.8	7.0	50.0
Percent distribution.....	100.0	28.5	15.4	27.7	6.9	3.8	7.7	2.3	6.9	0.8
Immature births[2]										
Number.....	99	26	12	29	5	6	9	2	9	1
Percent of total births.....	5.9	6.6	5.8	4.7	6.8	10.5	5.8	5.9	7.0	50.0
Percent distribution.....	100.0	26.3	12.1	29.3	5.1	6.1	9.1	2.0	9.1	1.0
Inadequate prenatal care[3]										
Number.....	55	24	11	9	2	1	1	1	6	-
Percent of total births.....	3.3	6.1	5.3	1.5	2.7	1.8	0.6	2.9	4.7	0
Percent distribution.....	100.0	43.6	20.0	16.4	3.6	1.8	1.8	1.8	10.9	0

[1]Less than 37 weeks period of gestation.

[2]Birth weight of 2,500 grams or less.

[3]Prenatal care initiated in last trimester (28 weeks or more) or no prenatal care.

Table 14.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND SEX:
DISTRICT OF COLUMBIA, 1982

Rank	Cause of Death	Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	6,469	3,446	3,023	4,718	2,613	2,105	1,751	833	918
01	Diseases of Heart (390-398,402,404-429)	2,024	1,031	993	1,383	723	660	641	308	333
02	Cancer (including etc.)(140-208)	1,526	816	710	1,124	626	498	402	190	212
03	Cerebrovascular Disease (430-438)	412	175	237	271	133	138	141	42	99
04	Accidents and Adverse Effects (800-949)	206	143	63	158	113	45	48	30	18
05	Homicide and Legal Intervention (960-978)	197	158	39	179	147	32	18	11	7
06	Chronic Liver Disease and Cirrhosis (571)	192	132	60	156	108	48	36	24	12
07	Atherosclerosis (440)	165	51	114	103	34	69	62	17	45
08	Pneumonia and Influenza (480-487)	150	95	55	112	71	41	38	24	14
09	Chronic Obstructive Pulmonary Disease Etc.(490-496)	139	86	53	74	50	24	65	36	29
10	Certain Perinatal Conditions (760-779)	129	71	58	127	70	57	2	1	1
11	Diabetes Mellitus (250)	119	53	66	98	40	58	21	13	8
12	Septicemia (038)	83	39	44	64	28	36	19	11	8
13	Suicide (950-959)	70	55	15	37	34	3	33	21	12
14	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	68	29	39	57	25	32	11	4	7
15	Congenital Anomalies (740-759)	38	21	17	30	18	12	8	3	5
16	Hypertension with or without Renal Disease (401,403)	28	13	15	21	9	12	7	4	3
17	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	27	9	18	22	9	13	5	-	5
17	Ulcer of Stomach and Duodenum (531-533)	27	14	13	18	11	7	9	3	6
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560)	21	8	13	13	7	6	8	1	7
20	Tuberculosis (010-018)	20	12	8	20	12	8	-	-	-
21	Residual	828	435	393	651	345	306	177	90	87

Table 15.--RESIDENT CRUDE DEATH RATES FOR 20 LEADING CAUSES BY RACE AND SEX: DISTRICT OF COLUMBIA, 1982

Rank	Cause of Death	Rates Per 100,000 Population								
		Total			Black			White		
		Total	Male	Female	Total	Male	Female	Total	Male	Female
	Total All Causes	1028.3	1178.5	897.8	1022.5	1226.2	847.8	1044.1	1050.4	1038.5
01	Diseases of Heart (390-398,402,404-429)	321.7	352.6	294.9	299.7	339.3	265.8	382.2	388.4	376.7
02	Cancer (including etc.)(140-208)	242.6	279.1	210.9	243.6	293.8	200.6	239.7	239.6	239.8
03	Cerebrovascular Disease (430-438)	65.5	59.8	70.4	58.7	62.4	55.6	84.1	53.0	112.0
04	Accidents and Adverse Effects (800-949)	32.7	48.9	18.7	34.2	53.0	18.1	28.6	37.8	20.4
05	Homicide and Legal Intervention (960-978)	31.3	54.0	11.6	38.8	69.0	12.9	10.7	13.9	7.9
06	Chronic Liver Disease and Cirrhosis (571)	30.5	45.1	17.8	33.8	50.7	19.3	21.5	30.3	13.6
07	Atherosclerosis (440)	26.2	17.4	33.9	22.3	16.0	27.8	37.0	21.4	50.9
08	Pneumonia and Influenza (480-487)	23.8	32.5	16.3	24.3	33.3	16.5	22.7	30.3	15.8
09	Chronic Obstructive Pulmonary Disease Etc.(490-496)	22.1	29.4	15.7	16.0	23.5	9.7	38.8	45.4	32.8
10	Certain Perinatal Conditions (760-779)	20.5	24.3	17.2	27.5	32.8	23.0	1.2	1.3	1.1
11	Diabetes Mellitus (250)	18.9	18.1	19.6	21.2	18.8	23.4	12.5	16.4	9.0
12	Septicemia (038)	13.2	13.3	13.1	13.9	13.1	14.5	11.3	13.9	9.0
13	Suicide (950-959)	11.1	18.8	4.5	8.0	16.0	1.2	19.7	26.5	13.6
14	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	10.8	9.9	11.6	12.4	11.7	12.9	6.6	5.0	7.9
15	Congenital Anomalies (740-759)	6.0	7.2	5.0	6.5	8.4	4.8	4.8	3.8	5.7
16	Hypertension with or without Renal Disease (401,403)	4.5	4.4	4.5	4.6	4.2	4.8	4.2	5.0	3.4
17	Benign Neoplasms, Carcinoma in Situ, Neo Nec (210-239)	4.3	3.1	5.3	4.8	4.2	5.2	3.0	-	5.7
17	Ulcer of Stomach and Duodenum (531-533)	4.3	4.8	3.9	3.9	5.2	2.8	5.4	3.8	6.8
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560)	3.3	2.7	3.9	2.8	3.3	2.4	4.8	1.3	7.9
20	Tuberculosis (010-018)	3.2	4.1	2.4	4.3	5.6	3.2	-	-	-
21	Residual	131.6	148.8	116.7	141.1	161.9	123.2	105.5	113.5	98.4

Table 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1982

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate[1]			Number	Rate[1]
	1-4 years				1-4 years		
	Total	15	112.8		Total	11	84.0
740-759	Congenital Anomalies	3	22.6	740-759	Congenital Anomalies	2	15.3
E800-E949	Accidents	3	22.6	E800-E949	Accidents	2	15.3
480-487	Pneumonia and Influenza	2	15.0	140-208	Cancer (including etc.)	1	7.6
E960-E978	Homicide	2	15.0	390-398,402,404-429	Diseases of Heart	1	7.6
430-438	Cerebrovascular disease	1	7.5	480-487	Pneumonia and Influenza	1	7.6
Residual	All Other Causes	4	30.1	Residual	All Other Causes	4	30.5
	5-14 years				5-14 years		
	Total	9	24.5		Total	7	19.4
140-208	Cancer (including etc.)	2	5.4	E800-E949	Accidents	2	5.5
E800-E949	Accidents	2	5.4	390-398,402,			
280-285	Anemias	1	2.7	404-429	Diseases of Heart	1	2.8
740-759	Congenital Anomalies	1	2.7	490-496	Chronic Obstructive Pulmonary Disease	1	2.8
E960-E978	Homicide	1	2.7				
Residual	All Other Causes	2	5.4	E950-E959	Suicide	1	2.8
				E960-E978	Homicide	1	2.8
	15-24 years			Residual	All Other Causes	1	2.8
	Total	65	109.1				
E960-E978	Homicide	30	50.3		15-24 years		
E950-E959	Suicide	9	15.1				
E800-E949	Accidents	7	11.7		Total	32	48.8
390-398,402,404-429	Diseases of Heart	2	3.4	E960-E978	Homicide and Legal Intervention	13	19.8
140-208	Cancer (including etc.)	1	1.7	140-208	Cancer (including etc.)	2	3.0
Residual	All Other Causes	16	26.8	630-676	Complications of Pregnancy, etc.	2	3.0
				390-398,402,404-429	Diseases of Heart	1	1.5
				E800-E949	Accidents	2	3.0
				Residual	All Other Causes	12	18.3

Table 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA: 1982-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate[1]			Number	Rate[1]
	24-44 years				25-44 years		
	Total	420	442.6		Total	195	186.6
E960-E978	Homicide	92	96.9	140-208	Cancer	43	41.1
390-398,402,404-429	Diseases of Heart	56	59.0	390-398,402,404-429	Diseases of Heart	19	18.2
E800-E949	Accidents	51	53.7	E960-E978	Homicide	16	15.3
140-208	Cancer, etc	32	33.7	430-438	Cerebrovascular disease	14	13.4
571	Chronic Liver Disease and Cirrhosis	22	23.2	571 E800-E949	Chronic Liver Disease etc	11	10.5
					Accidents	6	5.7
E950-E959	Suicide	22	23.2	E950-E959	Suicide	6	5.7
430-438	Cerebrovascular Disease	11	11.6	580-589	Nephritis, etc	4	3.8
480-487	Pneumonia and Influenza	8	8.4	Residual	All Other Causes	76	72.7
Residual	All Other Causes	126	132.8				
	45-64 years				45-64 years		
	Total	1,040	1850.5		Total	683	1002.9
390-398,402,404-429	Diseases of Heart	318	565.8	140-208	Cancer	234	343.6
140-208	Cancer (including etc.)	297	528.5	390-398-402,404-429	Diseases of Heart	207	304.0
571	Chronic Liver Disease etc	87	154.8	571	Chronic Liver Disease etc	39	57.3
E800-E949	Accidents	51	90.7	430-438	Cerebrovascular Disease	33	48.5
430-438	Cerebrovascular Disease	36	64.1	250	Diabetes Mellitus	19	27.9
480-487	Pneumonia and Influenza	24	42.7	480-487	Pneumonia and Influenza	13	19.1
250	Diabetes Mellitus	22	39.1	490-496	Chronic Obstructive Plumonary	9	13.2
E960-E978	Homicide	22	39.1	E800-E949	Accidents	10	14.7
Residual	All Other Causes	183	325.6	Residual	All Other Causes	119	174.7

Table 16.--PRINCIPAL CAUSES OF DEATH OF RESIDENTS BY AGE GROUP AND SEX WITH RATES: DISTRICT OF COLUMBIA, 1982-CONTINUED

ICD Code 9th Revision	Cause of death and age	Male		ICD Code 9th Revision	Cause of death and age	Female	
		Number	Rate[1]			Number	Rate[1]
	65 years and over				65 years and over		
	Total	1,787	6594.1		Total	2,010	4240.5
390-398,402,404-429	Diseases Of Heart	654	2413.3	390-398,402,404-429	Diseases of Heart	762	1607.6
140-208	Cancer (including etc.)	484	1786.0	140-208	Cancer (including etc.)	430	907.2
430-438	Cerebrovascular Disease	125	461.3	430-438	Cerebrovascular Disease	190	400.8
490-496	Chronic Obstructive Pulmonary Disease	70	258.3	440	Atherosclerosis	107	225.7
480-487	Pneumonia and Influenza	56	206.6	250	Diabetes Mellitus	44	92.8
440	Atherosclerosis	45	166.1	490-496	Chronic Obstructive Pulmonary Disease	41	86.5
038	Septicemia	27	99.6	E800-E949	Accidents	41	86.5
250	Diabetes Mellitus	27	99.6	480-487	Pneumonia and Influenza	39	82.3
E800-E949	Accidents	27	99.6	038	Septicemia	31	65.4
Residual	All Other Causes	272	1003.7	Residual	All Other Causes	325	685.7

[1]Rates per 100,000 population in specified group.

Table 17.--NUMBER OF RESIDENT DEATHS AND CRUDE AND AGE-ADJUSTED DEATH RATES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982

Age (in years)	Total			Black			White		
	Total	Male	Female	Total	Male	Female	Total	Male	Female
NUMBER									
TOTAL	6,469	3,446	3,023	4,718	2,613	2,105	1,751	833	918
Under 5	216	123	93	203	118	85	13	5	8
5-14	16	9	7	12	7	5	4	2	2
15-24	97	65	32	88	58	30	9	7	2
25-34	292	207	85	262	190	72	30	17	13
35-44	323	213	110	283	193	90	40	20	20
45-54	559	352	207	489	306	183	70	46	24
55-64	1,164	688	476	984	574	410	180	114	66
65 and over	3,797	1,787	2,010	2,392	1,165	1,227	1,405	622	783
Not stated	5	2	3	5	2	3	-	-	-
RATES									
AGE-ADJUSTED[1]	773.4	1010.8	595.0	851.5	1132.4	638.1	558.7	703.7	464.7
CRUDE[2]	1028.3	1178.5	897.8	1022.5	1226.2	847.8	1044.1	1050.4	1038.5
Under 5	640.9	723.5	556.9	702.4	808.2	594.4	270.8	208.3	333.3
5-14	22.1	24.6	19.5	18.7	21.7	15.6	48.8	46.5	51.3
15-24	80.6	112.8	51.0	96.8	133.0	63.4	30.5	50.0	12.9
25-34	228.3	342.1	126.1	309.7	487.2	157.9	69.2	79.1	59.6
35-44	419.5	572.6	276.4	528.0	787.8	309.3	170.9	157.5	186.9
45-54	925.5	1248.2	642.9	1056.2	1464.1	720.5	496.5	630.1	352.9
55-64	1827.3	2439.7	1340.8	2075.9	2759.6	1541.4	1104.3	1540.5	741.6
65 and over	5166.0	6594.1	4331.9	5268.7	6695.4	4382.1	5000.0	6412.4	4255.4

[1]Based on age-specific death rates by 5 year age groups per 100,000 population in specified group. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940.

[2]Rates per 100,000 population.

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1982

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total All Causes																					
Total.....	6,469	190	26	7	9	29	68	137	155	157	166	211	348	518	646	723	779	785	645	865	5
Black Male.....	2,613	103	15	4	3	20	38	94	96	91	102	112	194	268	306	332	261	259	166	147	2
Female.....	2,105	77	8	2	3	7	23	33	39	41	49	78	105	178	232	237	256	258	196	280	3
White Male.....	833	5	-	1	1	2	5	7	10	10	10	16	30	45	69	93	141	128	118	142	-
Female.....	918	5	3	-	2	-	2	3	10	15	5	5	19	27	39	61	121	140	165	296	-
01 Shigellosis and Amebiasis 004,006																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
02 Certain Other Intestinal Infections 007-009																					
Total.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis 010-018																					
Total.....	20	-	-	-	-	-	-	1	2	1	-	1	3	4	2	1	2	1	-	2	-
Black Male.....	12	-	-	-	-	-	-	-	1	1	-	1	2	4	1	-	2	-	-	-	-
Female.....	8	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	-	1	-	2	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
03 Tuberculosis of Respiratory System 010-012																					
Total	17	-	-	-	-	-	-	-	2	1	-	1	3	4	2	-	1	1	-	2	-
Black Male	11	-	-	-	-	-	-	-	1	1	-	1	2	4	1	-	1	-	-	-	-
Female	6	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	2	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
04 Other Tuberculosis 013-018																					
Total	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
05 Whooping Cough 033																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
06 Streptococcal Sore Throat, Scarlatina and Erysipelas 034,035																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
07 Meningococcal Infection 036																					
Total	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
08 Septicemia 038																					
Total	83	2	-	-	-	1	-	2	2	1	1	2	4	4	6	8	12	11	14	13	-
Black Male	28	1	-	-	-	-	-	1	1	-	-	1	1	2	1	2	6	3	5	4	-
Female	36	1	-	-	-	1	-	1	1	-	1	-	3	2	2	6	3	7	3	5	-
White Male	11	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	4	1	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	-
09 Acute Poliomyelitis 045																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10 Measles 055																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
11 Viral Hepatitis 070																					
Total	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 Syphilis 090-097																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 All Other Infectious and Parasitic Diseases 001-003,005,020-032,037,039-041,046-054,056-066,071-088,098-139																					
Total	23	2	-	-	-	-	1	3	2	1	2	1	1	1	4	1	-	2	2	-	-
Black Male	8	1	-	-	-	-	-	2	1	-	1	1	-	-	1	1	-	-	-	-	-
Female	10	1	-	-	-	-	1	1	1	1	1	-	1	-	2	-	-	-	1	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cancer (including etc.) 140-208																					
Total	1,526	-	1	2	-	-	3	5	14	28	28	54	104	158	215	236	228	211	118	121	-
Black Male	626	-	-	2	-	-	1	1	3	10	16	21	52	78	107	112	74	79	40	30	-
Female	498	-	1	-	-	-	2	2	6	12	9	30	34	61	65	69	73	64	31	39	-
White Male	190	-	-	-	-	-	-	-	1	1	-	1	8	7	23	29	45	32	20	23	-
Female	212	-	-	-	-	-	-	2	4	5	3	2	10	12	20	26	36	36	27	29	-
14 Malignant Neoplasm of Lip, Oral Cavity and and Pharynx 140-149																					
Total	77	-	-	-	-	-	1	-	-	-	2	5	10	7	12	13	14	9	3	1	-
Black Male	49	-	-	-	-	-	1	-	-	-	2	5	6	3	10	12	5	3	1	1	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	3	3	-	-	-
White Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	2	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	-	-
15 Malignant Neoplasm of Digestive Organs and Peritoneum 150-159																					
Total	447	-	-	-	-	-	-	-	4	5	9	13	29	31	74	73	68	71	25	45	-
Black Male	159	-	-	-	-	-	-	-	2	4	7	6	15	15	34	25	16	25	5	5	-
Female	182	-	-	-	-	-	-	-	-	1	2	6	11	14	27	30	29	28	11	23	-
White Male	47	-	-	-	-	-	-	-	-	-	-	-	1	1	5	12	11	7	3	7	-
Female	59	-	-	-	-	-	-	-	2	-	-	1	2	1	8	6	12	11	6	10	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
16 Malignant Neoplasm of Respiratory and Intrathoracic Organs 160-165																					
Total	352	-	-	-	-	-	-	-	-	7	7	11	26	56	52	65	53	38	20	17	-
Black Male	206	-	-	-	-	-	-	-	-	4	4	5	18	38	35	42	23	21	7	9	-
Female	64	-	-	-	-	-	-	-	-	1	3	4	2	13	7	10	9	5	5	5	-
White Male	53	-	-	-	-	-	-	-	-	1	-	1	4	4	9	8	14	8	4	-	-
Female	29	-	-	-	-	-	-	-	-	1	-	1	2	1	1	5	7	4	4	3	-
17 Malignant Neoplasm of Breast 174,175																					
Total	126	-	-	-	-	-	-	1	2	4	3	9	15	15	14	20	14	14	6	9	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	84	-	-	-	-	-	-	1	1	3	2	9	12	14	9	13	7	8	3	2	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	40	-	-	-	-	-	-	-	1	1	1	-	3	1	5	7	6	6	2	7	-
18 Malignant Neoplasm of Genital Organs 179-187																					
Total	205	-	-	-	-	-	-	1	1	7	2	4	8	11	21	29	31	34	30	26	-
Black Male	96	-	-	-	-	-	-	-	-	1	-	-	2	6	9	16	14	19	19	10	-
Female	57	-	-	-	-	-	-	-	-	5	2	4	4	5	8	7	9	5	3	5	-
White Male	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	4	9	-
Female	24	-	-	-	-	-	-	1	1	1	-	-	2	-	2	4	3	4	4	2	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
19 Malignant Neoplasm of Urinary Organs 188,189																					
Total	52	-	-	-	-	-	-	-	1	1	1	3	1	6	4	6	9	6	10	4	-
Black Male	20	-	-	-	-	-	-	-	1	-	-	2	-	1	1	3	5	3	3	1	-
Female	15	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	1	1	3	1	-
White Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-
Female	9	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	3	1	-
20 Malignant Neoplasm of All Other and Unspecified Sites 170-173,190-199																					
Total	175	-	-	1	-	-	1	1	4	4	4	5	8	26	27	19	24	21	18	12	-
Black Male	61	-	-	1	-	-	-	-	-	1	3	2	6	12	12	8	6	4	4	2	-
Female	55	-	-	-	-	-	1	-	4	1	-	3	1	7	9	4	8	11	4	2	-
White Male	27	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	6	4	4	4	-
Female	32	-	-	-	-	-	-	1	-	2	1	-	-	5	3	4	4	2	6	4	-
21 Leukemia 204-208																					
Total	38	-	1	1	-	-	1	-	1	-	-	2	2	-	5	4	6	8	3	4	-
Black Male	15	-	-	1	-	-	-	-	-	-	-	1	1	-	5	3	2	-	-	2	-
Female	8	-	1	-	-	-	1	-	1	-	-	1	-	-	-	1	1	2	-	-	-
White Male	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	1	-	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
22 Other Malignant Neoplasm of Lymphatic and Hematopoietic Tissue 200-203																					
Total	54	-	-	-	-	-	-	2	1	-	-	2	5	6	6	7	9	10	3	3	-
Black Male	18	-	-	-	-	-	-	1	-	-	-	-	4	3	1	3	2	4	-	-	-
Female	21	-	-	-	-	-	-	1	-	-	-	2	-	3	3	2	6	1	2	1	-
White Male	10	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	1	1	2	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	-	-	-
23 Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec 210-239																					
Total	27	1	-	-	1	-	-	-	-	-	-	-	1	3	4	4	6	2	2	3	-
Black Male	9	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	1	1	-	-
Female	13	1	-	-	1	-	-	-	-	-	-	-	-	-	4	2	3	-	-	2	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-
24 Diabetes Mellitus 250																					
Total	119	-	-	-	-	-	-	1	4	-	2	2	10	17	12	13	15	17	13	13	-
Black Male	40	-	-	-	-	-	-	-	2	-	1	1	7	7	4	4	4	7	3	-	-
Female	58	-	-	-	-	-	-	1	1	-	-	1	3	7	8	5	9	7	5	11	-
White Male	13	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	2	2	2	1	-
Female	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	3	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
25 Nutritional Deficiencies 260-269																					
Total	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-
Black Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
26 Anemias 280-285																					
Total	12	-	-	-	1	-	-	1	-	-	-	-	-	-	2	1	-	1	3	3	-
Black Male	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	8	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	2	2	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
27 Meningitis 320-322																					
Total	10	1	-	-	-	-	-	1	-	-	-	-	2	2	1	-	1	1	1	-	-
Black Male	7	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	-	1	-	-
Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Major Cardiovascular Diseases 390-448																					
Total	2,666	1	3	1	-	-	4	14	12	29	46	60	109	196	257	306	369	386	351	518	4
Black Male	913	1	1	-	-	-	3	10	8	18	27	30	62	107	114	137	120	126	76	72	1
Female	890	-	-	1	-	-	1	4	3	10	14	24	35	68	99	111	121	124	110	162	3
White Male	378	-	-	-	-	-	-	-	-	1	4	4	9	12	31	38	71	62	62	84	-
Female	485	-	2	-	-	-	-	-	1	-	1	2	3	9	13	20	57	74	103	200	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Diseases of Heart 390-398,402,404-429																					
Total	2,024	1	1	1	-	-	3	9	7	22	37	50	96	165	214	244	300	266	246	360	2
Black Male	723	1	-	-	-	-	2	9	6	13	23	25	57	91	94	103	98	87	59	55	-
Female	660	-	-	1	-	-	1	-	1	8	10	22	27	55	81	92	100	84	66	110	2
White Male	308	-	-	-	-	-	-	-	-	1	4	2	9	11	29	33	62	44	49	64	-
Female	333	-	1	-	-	-	-	-	-	-	-	1	3	8	10	16	40	51	72	131	-
28 Rheumatic Fever and Rheumatic Heart Disease 390-398																					
Total	12	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	4	1	2	-
Black Male	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-
White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
29 Hypertensive Heart Disease 402																					
Total	203	-	-	-	-	-	-	1	2	3	5	9	10	38	26	27	27	27	9	19	-
Black Male	87	-	-	-	-	-	-	1	2	1	3	2	5	19	13	15	7	11	1	7	-
Female	82	-	-	-	-	-	-	-	-	2	2	6	4	14	9	10	13	10	5	7	-
White Male	15	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	4	4	-	-	-
Female	19	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	2	3	5	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
30 Hypertensive Heart and Renal Disease 404																					
Total	12	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	1	2	2	1	-
Black Male	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Ischemic Heart Disease 410-414																					
Total	1,200	-	-	-	-	-	-	2	1	10	22	22	62	80	125	151	189	163	154	218	1
Black Male	414	-	-	-	-	-	-	2	1	9	13	13	43	48	53	62	58	51	30	31	-
Female	353	-	-	-	-	-	-	-	-	1	6	7	11	24	44	54	59	47	40	59	1
White Male	217	-	-	-	-	-	-	-	-	-	3	1	7	5	21	23	48	29	36	44	-
Female	216	-	-	-	-	-	-	-	-	-	-	1	1	3	7	12	24	36	48	84	-
31 Acute Myocardial Infarction 410																					
Total	430	-	-	-	-	-	-	1	-	4	8	11	14	22	42	52	82	67	54	73	-
Black Male	127	-	-	-	-	-	-	1	-	4	5	7	10	12	11	20	24	14	7	12	-
Female	126	-	-	-	-	-	-	-	-	-	2	3	3	7	18	17	17	22	17	20	-
White Male	97	-	-	-	-	-	-	-	-	-	1	-	1	3	10	11	28	14	13	16	-
Female	80	-	-	-	-	-	-	-	-	-	-	1	-	-	3	4	13	17	17	25	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
32 Other Acute and Subacute Forms of Ischemic Heart Disease 411																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33 Angina Pectoris 413																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34 Old Myocardial Infarction and Other Forms of Chronic Ischemic Heart Disease 412,414																					
Total	767	-	-	-	-	-	-	1	1	6	14	11	47	58	83	99	107	95	100	144	1
Black Male	287	-	-	-	-	-	-	1	1	5	8	6	33	36	42	42	34	37	23	19	-
Female	227	-	-	-	-	-	-	-	-	1	4	4	8	17	26	37	42	25	23	39	1
White Male	117	-	-	-	-	-	-	-	-	-	2	1	5	2	11	12	20	14	23	27	-
Female	136	-	-	-	-	-	-	-	-	-	-	-	1	3	4	8	11	19	31	59	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
35 Other Diseases of Endocardium 424																					
Total	21	-	-	-	-	-	1	-	1	-	1	-	-	-	3	1	7	2	2	3	-
Black Male	6	-	-	-	-	-	1	-	1	-	1	-	-	-	-	1	1	-	1	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	-
36 All Other Forms of Heart Disease 415-423,425-429																					
Total	576	1	1	1	-	-	1	5	3	9	9	17	22	47	59	62	75	68	78	117	1
Black Male	209	1	-	-	-	-	-	5	2	3	6	9	8	24	28	25	32	23	26	17	-
Female	212	-	-	1	-	-	1	-	1	5	2	8	11	17	24	27	25	25	21	43	1
White Male	69	-	-	-	-	-	-	-	-	1	1	-	2	4	5	7	8	8	13	20	-
Female	86	-	1	-	-	-	-	-	-	-	-	-	1	2	2	3	10	12	18	37	-
37 Hypertension With or Without Renal Disease 401,403																					
Total	28	-	-	-	-	-	-	-	1	-	-	-	2	2	2	3	4	5	4	4	1
Black Male	9	-	-	-	-	-	-	-	1	-	-	-	2	-	2	2	-	2	-	-	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	3	1
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Cerebrovascular Disease 430-438																					
Total	412	-	1	-	-	-	1	5	4	7	9	9	10	22	28	36	44	75	69	91	1
Black Male	133	-	1	-	-	-	1	1	1	5	4	5	3	14	12	20	17	29	11	8	1
Female	138	-	-	-	-	-	-	4	2	2	4	1	7	7	14	11	11	20	26	29	-
White Male	42	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	7	10	9	11	-
Female	99	-	-	-	-	-	-	-	1	-	1	1	-	1	2	2	9	16	23	43	-
38 Intracerebral and other Intracranial Hemorrhage 431,432																					
Total	79	-	-	-	-	-	-	-	3	3	4	3	6	10	12	9	10	10	8	1	-
Black Male	31	-	-	-	-	-	-	-	1	3	3	2	2	4	5	6	2	1	2	-	-
Female	28	-	-	-	-	-	-	-	2	-	1	-	4	5	6	3	4	1	2	-	-
White Male	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	2	1	-
Female	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	2	-	-
39 Cerebral Thrombosis and Unspecified Occlusion of Cerebral Arteries 434.0,434.9																					
Total	86	-	-	-	-	-	-	-	-	1	-	2	1	2	3	3	9	20	17	28	-
Black Male	22	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	4	10	1	-	-
Female	21	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	7	6	4	-
White Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	-
Female	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	8	18	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
40 Cerebral Embolism 434.1																					
Total	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
41 All Other & Late Effects of Cerebrovascular Disease 430,433,435-438																					
Total	246	-	1	-	-	-	1	5	1	3	5	4	3	10	13	24	25	45	43	62	1
Black Male	80	-	1	-	-	-	1	1	-	2	1	1	-	8	6	13	11	18	8	8	1
Female	89	-	-	-	-	-	-	4	-	1	3	1	3	2	6	7	7	12	18	25	-
White Male	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	5	5	4	-
Female	57	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	4	10	12	25	-
42 Atherosclerosis 440																					
Total	165	-	1	-	-	-	-	-	-	-	-	1	1	4	6	14	13	37	29	59	-
Black Male	34	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	1	8	5	8	-
Female	69	-	-	-	-	-	-	-	-	-	-	1	1	3	1	6	6	17	16	18	-
White Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	9	-
Female	45	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	7	24	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
43 Other Diseases of Arteries, Arterioles and Capillaries 441-448																					
Total.....	37	-	-	-	-	-	-	-	-	-	-	-	-	3	7	9	8	3	3	4	-
Black Male.....	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	-	1	1	-
Female.....	11	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	2	-
White Male.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-
Female.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-
44 Acute Bronchitis and Bronchiolitis 466																					
Total.....	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Black Male.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia and Influenza 480-487																					
Total.....	150	4	3	-	-	-	1	-	5	-	4	3	9	9	16	11	9	24	21	30	1
Black Male.....	71	3	2	-	-	-	1	-	3	-	4	2	6	5	10	6	2	12	7	7	1
Female.....	41	1	1	-	-	-	-	-	1	-	-	1	3	3	6	1	4	4	6	10	-
White Male.....	24	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	6	5	6	-
Female.....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	7	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
45 Pneumonia 480-486																					
Total	150	4	3	-	-	-	1	-	5	-	4	3	9	9	16	11	9	24	21	30	1
Black Male	71	3	2	-	-	-	1	-	3	-	4	2	6	5	10	6	2	12	7	7	1
Female	41	1	1	-	-	-	-	-	1	-	-	1	3	3	6	1	4	4	6	10	-
White Male	24	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	2	6	5	6	-
Female	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	7	-
46 Influenza 487																					
Total	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chronic Obstructive Pulmonary Disease etc. 490-496																					
Total	139	-	-	-	1	-	-	-	2	2	1	1	5	9	7	21	25	30	18	17	-
Black Male	50	-	-	-	-	-	-	-	1	1	1	1	2	2	2	10	6	9	10	5	-
Female	24	-	-	-	-	-	-	-	1	1	-	-	-	5	1	4	6	4	-	2	-
White Male	36	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	7	9	4	5	-
Female	29	-	-	-	1	-	-	-	-	-	-	-	2	-	1	2	6	8	4	5	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
47 Bronchitis, Chronic and Un-Specified 490,491																					
Total	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
48 Emphysema 492																					
Total	21	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	6	4	-	-
Black Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
White Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	-	-
49 Asthma 493																					
Total	14	-	-	-	1	-	-	-	1	2	1	-	1	4	-	2	1	-	1	-	-
Black Male	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-
Female	6	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
50 Other Chronic Obstructive Pulmonary Disease and Allied Conditions 494-496																					
Total	100	-	-	-	-	-	-	-	1	-	-	1	3	3	5	16	18	23	13	17	-
Black Male	38	-	-	-	-	-	-	-	1	-	-	1	2	1	1	6	4	8	9	5	-
Female	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	-	2	-
White Male	29	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	8	2	5	-
Female	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	2	5	-
51 Ulcer of Stomach and Duodenum 531-533																					
Total	27	-	-	-	-	-	-	-	1	-	2	1	2	-	4	5	5	4	2	1	-
Black Male	11	-	-	-	-	-	-	-	1	-	2	-	1	-	2	2	2	1	-	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	1	1	-	-
White Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-
52 Appendicitis 540-543																					
Total	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
53 Hernia of Abdominal Cavity and Intestinal Obstruction without mention of Hernia 550-553,560																					
Total.....	21	-	-	-	-	-	-	-	-	1	1	1	1	-	3	1	2	2	4	5	-
Black Male.....	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	-
Female.....	6	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	1	-	1	-
White Male.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	-
54 Chronic Liver Disease and Cirrhosis 571																					
Total.....	192	1	-	-	-	-	1	2	7	10	14	20	37	38	31	13	14	3	1	-	-
Black Male.....	108	-	-	-	-	-	-	1	5	7	8	12	24	17	18	7	7	1	1	-	-
Female.....	48	-	-	-	-	-	1	1	2	1	6	5	10	10	7	3	1	1	-	-	-
White Male.....	24	1	-	-	-	-	-	-	-	1	-	3	3	8	2	3	2	1	-	-	-
Female.....	12	-	-	-	-	-	-	-	-	1	-	-	-	3	4	-	4	-	-	-	-
55 Cholelithiasis and other disorders of Gallbladder 574,575																					
Total.....	11	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	3	-
Black Male.....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Female.....	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
White Male.....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Nephritis, Nephrotic Syndrome and Nephrosis 580-589																					
Total.....	68	-	-	-	-	-	-	2	1	1	2	1	1	3	10	6	14	6	9	12	-
Black Male.....	25	-	-	-	-	-	-	-	1	1	-	-	-	3	5	1	8	1	2	3	-
Female.....	32	-	-	-	-	-	-	2	-	-	2	1	1	-	4	5	4	4	4	5	-
White Male.....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Female.....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-
56 Acute Glomeruloneph-ritis and Nephrotic Syndrome 580,581																					
Total.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57 Chron Glom-eruloneph, Neph and Nephropathy, Nos, and Renal Sclerosis, un-spec. 582,583,587																					
Total.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
58 Renal Fail, disorders from impaired Renal FCN and small kidney of unknown cause 584-586,588,589																					
Total	66	-	-	-	-	-	-	2	1	-	2	1	1	3	10	5	14	6	9	12	-
Black Male	24	-	-	-	-	-	-	-	1	-	-	-	-	3	5	1	8	1	2	3	-
Female	31	-	-	-	-	-	-	2	-	-	2	1	1	-	4	4	4	4	4	5	-
White Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-
59 Infections of Kidney 590																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Black Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60 Hyperplasia of Prostate 600																					
Total	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Black Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Complications of Pregnancy Childbirth, and the Puerperium 630-676																					

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Total.....	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61 Pregnancy with Abortive Outcome 630-638																					
Total.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
62 Other Complications of Pregnancy, Childbirth & the Puerperium 640-676																					
Total.....	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63 Congenital Anomalies 740-759																					
Total.....	38	27	5	1	-	-	-	-	1	1	-	1	-	-	1	-	-	-	1	-	-
Black Male.....	18	12	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Female.....	12	10	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
White Male.....	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female.....	5	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
Certain Perinatal Conditions 760-779																					
Total	129	128	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	57	56	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Birth Trauma, Intrauterine Hypoxia, Birth Asphyxia and Rds 767-769																					
Total	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 Other Conditions Orginating in the Perinatal Period 760-766,770-779																					
Total	93	92	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Male	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	42	41	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX: DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
66 Symptoms, Signs and Ill-Defined Conditions 780-799																					
Total	138	15	4	-	2	4	8	18	20	13	15	8	5	7	5	4	2	2	4	2	-
Black Male	81	9	2	-	1	3	4	12	15	9	7	4	4	5	2	1	1	-	2	-	-
Female	43	4	2	-	1	1	4	5	3	3	6	2	1	1	3	3	-	2	1	1	-
White Male	8	1	-	-	-	-	-	1	1	-	1	2	-	1	-	-	1	-	-	-	-
Female	6	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	1	-
67 All Other Diseases Residual																					
Total	540	2	2	-	-	1	7	22	20	15	22	23	24	35	42	60	55	57	52	101	-
Black Male	207	1	2	-	-	-	5	15	10	8	12	16	13	13	21	24	22	11	11	23	-
Female	213	1	-	-	-	1	2	7	9	4	9	6	8	17	20	19	22	30	26	32	-
White Male	55	-	-	-	-	-	-	-	1	1	1	1	3	3	1	10	5	7	9	13	-
Female	65	-	-	-	-	-	-	-	-	2	-	-	-	2	-	7	6	9	6	33	-
Accidents and Adverse Effects 800-949																					
Total	206	2	5	2	2	5	4	18	14	13	12	13	20	18	10	11	11	14	18	14	-
Black Male	113	2	3	1	1	2	3	15	9	12	10	8	11	15	6	6	-	3	4	2	-
Female	45	-	2	1	1	1	1	1	3	1	-	3	3	1	2	4	7	4	4	6	-
White Male	30	-	-	-	-	2	-	2	1	-	2	2	5	2	2	1	2	3	4	2	-
Female	18	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	4	6	4	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
68 Motor Vehicle Accidents 810-825																					
Total	42	-	2	-	2	-	2	7	4	1	4	2	5	3	2	-	3	2	3	-	-
Black Male	17	-	1	-	1	-	2	5	-	1	3	1	1	1	1	-	-	-	-	-	-
Female	13	-	1	-	1	-	-	-	3	-	-	1	1	1	-	-	2	1	2	-	-
White Male	9	-	-	-	-	-	-	2	-	-	1	-	2	1	1	-	-	1	1	-	-
Female	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
69 All Other Accidents and Adverse Effects 800-807,826-949																					
Total	164	2	3	2	-	5	2	11	10	12	8	11	15	15	8	11	8	12	15	14	-
Black Male	96	2	2	1	-	2	1	10	9	11	7	7	10	14	5	6	-	3	4	2	-
Female	32	-	1	1	-	1	1	1	-	1	-	2	2	-	2	4	5	3	2	6	-
White Male	21	-	-	-	-	2	-	-	1	-	1	2	3	1	1	1	2	2	3	2	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	4	-
70 Suicide 950-959																					
Total	70	-	-	-	1	2	8	10	7	8	3	2	6	5	1	5	3	4	4	1	-
Black Male	34	-	-	-	-	2	4	6	4	3	2	-	2	1	-	4	1	3	2	-	-
Female	3	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
White Male	21	-	-	-	1	-	3	3	2	1	1	2	-	4	1	1	1	-	1	-	-
Female	12	-	-	-	-	-	-	1	1	3	-	-	3	-	-	-	1	1	1	1	-

Table 18.--DEATHS FROM 72 SELECTED CAUSES BY AGE, RACE AND SEX:
DISTRICT OF COLUMBIA, 1982-CONTINUED

Cause of Death, Code, Race and Sex	Total	Under 1 yr.	1-4 yrs.	5-9 yrs.	10-14 yrs.	15-19 yrs.	20-24 yrs.	25-29 yrs.	30-34 yrs.	35-39 yrs.	40-44 yrs.	45-49 yrs.	50-54 yrs.	55-59 yrs.	60-64 yrs.	65-69 yrs.	70-74 yrs.	75-79 yrs.	80-84 yrs.	85 and Over	Not stated
71 Homicide and Legal Interventions 960-978																					
Total	197	2	2	1	1	16	27	36	34	28	10	12	3	4	7	10	2	1	-	1	-
Black Male	147	2	2	-	-	13	16	30	25	20	10	10	3	3	5	8	-	-	-	-	-
Female	32	-	-	-	-	3	8	5	6	3	-	2	-	-	2	1	1	1	-	-	-
White Male	11	-	-	1	-	-	1	1	2	4	-	-	-	1	-	-	1	-	-	-	-
Female	7	-	-	-	1	-	2	-	1	1	-	-	-	-	-	1	-	-	-	1	-
72 All Other External Causes 980-999																					
Total	28	-	-	-	-	-	2	-	7	2	1	4	1	2	3	1	1	1	1	2	-
Black Male	18	-	-	-	-	-	1	-	6	1	1	3	1	1	2	1	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
White Male	6	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	1	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-

Table 19.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD:
DISTRICT OF COLUMBIA, 1982

Rank	Cause of Death	Total	All Races								
			Ward								
			1	2	3	4	5	6	7	8	Unknown
	Total All Causes	6,469	897	853	833	927	1,012	731	734	465	17
01	Diseases of Heart (390-398,402,404-429)	2,024	266	269	298	311	317	208	222	129	4
02	Cancer (including etc.)(140-208)	1,526	213	199	202	234	243	178	174	80	3
03	Cerebrovascular Disease (430-438)	412	49	49	82	58	65	41	42	26	-
04	Accidents and Adverse Effects (800-949)	206	30	23	25	22	32	20	25	27	2
05	Homicide and Legal Intervention (960-978)	197	40	29	6	17	24	27	27	27	-
06	Chronic Liver Disease and Cirrhosis (571)	192	24	40	11	25	31	23	21	16	1
07	Atherosclerosis (440)	165	36	24	38	18	23	10	10	6	-
08	Pneumonia and Influenza (480-487)	150	24	28	16	19	16	16	19	12	-
09	Chronic Obstructive Pulmonary Disease Etc.(490-496)	139	16	18	25	29	20	13	7	11	-
10	Certain Perinatal Conditions (760-779)	129	14	14	-	11	35	20	20	13	2
11	Diabetes Mellitus (250)	119	11	14	11	20	22	15	16	10	-
12	Septicemia (038)	83	16	14	4	9	14	10	12	4	-
13	Suicide (950-959)	70	6	14	10	9	7	8	6	10	-
14	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	68	15	6	3	5	6	15	11	6	1
15	Congenital Anomalies (740-759)	38	4	3	4	6	2	6	9	4	-
16	Hypertension with or without Renal Disease (401,403)	28	4	4	4	6	3	4	2	1	-
17	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	27	3	5	3	6	2	4	3	1	-
17	Ulcer of Stomach and Duodenum (531-533)	27	3	2	2	4	3	3	6	4	-
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560)	21	5	4	4	1	-	1	5	1	-
20	Tuberculosis (010-018)	20	3	4	-	2	3	6	2	-	-
21	Residual	828	115	90	85	115	144	103	95	77	4

Table 19.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1982-CONTINUED

Rank	Cause of Death	Total	Black								
			Ward								
			1	2	3	4	5	6	7	8	Unknown
	Total All Causes	4,718	725	609	49	694	938	616	666	411	10
01	Diseases of Heart (390-398,402,404-429)	1,383	206	180	15	220	286	168	195	110	3
02	Cancer (including etc.)(140-208)	1,124	172	142	14	183	231	147	161	72	2
03	Cerebrovascular Disease (430-438)	271	32	36	2	47	58	33	39	24	-
04	Accidents and Adverse Effects (800-949)	158	24	17	1	19	30	16	25	25	1
05	Homicide and Legal Intervention (960-978)	179	36	26	-	17	24	24	26	26	-
06	Chronic Liver Disease and Cirrhosis (571)	156	23	31	-	20	28	20	18	16	-
07	Atherosclerosis (440)	103	29	17	2	13	22	8	7	5	-
08	Pneumonia and Influenza (480-487)	112	19	17	3	13	16	15	18	11	-
09	Chronic Obstructive Pulmonary Disease Etc.(490-496)	74	13	13	-	12	16	8	6	6	-
10	Certain Perinatal Conditions (760-779)	127	14	14	-	11	35	19	19	13	2
11	Diabetes Mellitus (250)	98	10	10	3	16	21	14	15	9	-
12	Septicemia (038)	64	14	10	1	5	12	7	11	4	-
13	Suicide (950-959)	37	3	3	-	6	6	5	6	8	-
14	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	57	11	5	1	4	6	14	10	6	-
15	Congenital Anomalies (740-759)	30	3	3	-	5	1	6	9	3	-
16	Hypertension with or without Renal Disease (401,403)	21	3	3	-	5	3	4	2	1	-
17	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	22	3	4	-	6	2	4	3	-	-
17	Ulcer of Stomach and Duodenum (531-533)	18	2	2	-	2	3	3	3	3	-
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560)	13	3	3	-	1	-	1	5	-	-
20	Tuberculosis (010-018)	20	3	4	-	2	3	6	2	-	-
21	Residual	651	102	69	7	87	135	94	86	69	2

Table 19.--RESIDENT DEATHS FOR 20 LEADING CAUSES BY RACE AND WARD: DISTRICT OF COLUMBIA, 1982-CONTINUED

Rank	Cause of Death	Total	White								
			Ward								
			1	2	3	4	5	6	7	8	Unknown
	Total All Causes	1,751	172	244	784	233	74	115	68	54	7
01	Diseases of Heart (390-398,402,404-429)	641	60	89	283	91	31	40	27	19	1
02	Cancer (including etc.)(140-208)	402	41	57	188	51	12	31	13	8	1
03	Cerebrovascular Disease (430-438)	141	17	13	80	11	7	8	3	2	-
04	Accidents and Adverse Effects (800-949)	48	6	6	24	3	2	4	-	2	1
05	Homicide and Legal Intervention (960-978)	18	4	3	6	-	-	3	1	1	-
06	Chronic Liver Disease and Cirrhosis (571)	36	1	9	11	5	3	3	3	-	1
07	Atherosclerosis (440)	62	7	7	36	5	1	2	3	1	-
08	Pneumonia and Influenza (480-487)	38	5	11	13	6	-	1	1	1	-
09	Chronic Obstructive Pulmonary Disease Etc.(490-496)	65	3	5	25	17	4	5	1	5	-
10	Certain Perinatal Conditions (760-779)	2	-	-	-	-	-	1	1	-	-
11	Diabetes Mellitus (250)	21	1	4	8	4	1	1	1	1	-
12	Septicemia (038)	19	2	4	3	4	2	3	1	-	-
13	Suicide (950-959)	33	3	11	10	3	1	3	-	2	-
14	Nephritis, Nephrotic Syndrome & Nephrosis (580-589)	11	4	1	2	1	-	1	1	-	1
15	Congenital Anomalies (740-759)	8	1	-	4	1	1	-	-	1	-
16	Hypertension with or without Renal Disease (401,403)	7	1	1	4	1	-	-	-	-	-
17	Benign Neoplasms, Carcinoma in Situ, Neoplasms Nec (210-239)	5	-	1	3	-	-	-	-	1	-
17	Ulcer of Stomach and Duodenum (531-533)	9	1	-	2	2	-	-	3	1	-
19	Hernia of Abdominal Cavity & Intestinal Obstruction without mention of Hernia (550-553,560)	8	2	1	4	-	-	-	-	1	-
20	Tuberculosis (010-018)	-	-	-	-	-	-	-	-	-	-
21	Residual	177	13	21	78	28	9	9	9	8	2

Table 20.--INFANT DEATHS AND DEATH RATES BY AGE AND RACE, AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1982 AND AVERAGES, 1950-1979

Year	Infant deaths									Fetal deaths		
	Total			Less than 28 days			Less than 7 days					
	Total	Black	White	Total	Black	White	Total	Black	White	Total	Black	White
NUMBER												
1982	190	180	10	137	134	3	121	120	1	114	104	10
1981	211	196	15	162	147	15	146	133	13	123	115	8
1980	228	210	18	168	156	12	149	138	11	126	103	23
1979	207	199	8	159	152	7	140	134	6	112	100	12
1978	242	229	13	179	168	11	164	154	10	137	125	12
1977	270	251	19	203	189	14	172	159	13	160	152	8
1976	240	230	10	193	188	5	175	170	5	169	154	15
1975	279	254	25	220	198	22	194	174	20	149	138	11
ANNUAL AVERAGE												
1975-1979	248	233	15	191	179	12	169	158	11	146	134	12
1970-1974	341	311	30	258	234	24	230	210	20	215	188	27
1965-1969	511	451	60	387	339	48	357	312	45	314	276	38
1960-1964	684	542	142	513	402	111	470	370	100	370	295	75
1955-1959	678	498	180	520	374	146	473	340	133	355	258	97
1950-1954	628	337	291	499	255	244	444	225	219	398	237	161
RATE PER 1,000 LIVE BIRTHS												
1982	20.3	23.3	6.0	14.6	17.4	1.8	12.9	15.6	0.6	12.2	13.5	6.0
1981	22.6	25.3	9.5	17.4	19.0	9.5	15.6	17.2	8.2	13.2	14.8	5.1
1980	24.6	26.6	13.1	18.1	19.8	8.7	16.1	17.5	8.0	13.6	13.1	16.8
1979	22.0	24.7	5.9	16.9	18.9	5.2	14.9	16.6	4.4	11.9	12.4	8.9
1978	25.8	28.6	9.5	19.1	21.0	8.0	17.5	19.2	7.3	14.6	15.6	8.8
1977	27.3	29.5	13.9	20.5	22.2	10.2	17.4	18.7	9.5	16.2	17.9	5.8
1976	24.9	27.7	7.5	20.0	22.7	3.7	18.2	20.5	3.7	17.5	18.6	11.2
1975	28.6	30.0	19.5	22.6	23.4	17.1	19.9	20.6	15.6	15.3	16.3	8.6
ANNUAL AVERAGE												
1975-1979	25.8	28.2	11.2	19.9	21.7	8.9	17.6	19.1	8.2	15.2	16.2	8.9
1970-1974	27.7	28.9	19.4	20.9	21.7	15.5	18.7	19.5	12.9	17.4	17.4	17.4
1965-1969	32.3	34.3	22.7	24.5	25.8	18.1	22.6	23.7	17.0	19.9	21.0	14.4
1960-1964	34.6	38.1	25.3	26.0	28.3	20.0	23.8	26.0	18.0	18.7	20.7	13.5
1955-1959	34.3	39.6	25.1	26.3	29.7	20.4	24.0	27.0	18.6	18.0	20.5	13.6
1950-1954	30.6	34.3	27.2	24.3	26.0	22.8	21.6	22.9	20.5	19.4	24.1	15.0

Table 21.--RESIDENT INFANT DEATHS AND DEATH RATES BY AGE: DISTRICT OF COLUMBIA, 1962-1982

Year	Number						Rate per 1,000 live births					
		Under 28 days						Under 28 days				
	All ages	Total	Under 1 day	1-6 days	7-27 days	28 days-11 months	All ages	Total	Under 1 day	1-6 days	7-27 days	28 days-11 months
1982....	190	137	78	43	16	53	20.3	14.6	8.3	4.6	1.7	5.7
1981....	211	162	94	52	16	49	22.6	17.4	10.1	5.6	1.7	5.3
1980....	228	168	96	53	19	60	24.6	18.1	10.4	5.7	2.1	6.5
1979....	207	159	103	37	19	48	22.0	16.9	11.0	3.9	2.0	5.1
1978....	242	179	111	53	15	63	25.8	19.1	11.8	5.7	1.6	6.7
1977....	270	203	116	56	31	67	27.3	20.5	11.7	5.7	3.1	6.8
1976....	240	193	116	59	18	47	24.9	20.0	12.0	6.1	1.9	4.9
1975....	279	220	129	65	26	59	28.6	22.6	13.2	6.7	2.7	6.1
1974....	277	216	119	62	35	61	27.6	21.5	11.9	6.2	3.5	6.1
1973....	276	208	122	60	26	68	25.5	19.2	11.3	5.5	2.4	6.3
1972....	323	235	142	67	26	88	27.2	19.8	11.9	5.6	2.2	7.4
1971....	396	294	192	82	20	102	28.5	21.1	13.8	5.9	1.4	7.3
1970....	432	339	215	87	37	93	28.9	22.7	14.4	5.8	2.5	6.2
1969....	428	333	223	76	34	95	29.0	22.6	15.1	5.2	2.3	6.4
1968....	467	353	228	99	26	114	32.0	24.2	15.6	6.8	1.8	7.8
1967....	474	369	256	92	21	105	30.3	23.5	16.3	5.9	1.3	6.7
1966....	578	441	296	113	32	137	35.3	26.9	18.1	6.9	2.0	8.4
1965....	611	441	282	120	39	170	34.7	25.1	16.0	6.8	2.2	9.7
1964....	656	493	311	129	53	163	34.5	25.9	16.4	6.8	2.8	8.6
1963....	653	475	283	156	36	178	32.9	23.9	14.3	7.9	1.8	9.0
1962....	690	516	328	146	42	174	34.6	25.9	16.4	7.3	2.1	8.7

Table 22.--INFANT DEATH RATES BY WARD AND AGE:
DISTRICT OF COLUMBIA, 1981 AND 1982

Ward	All ages		Under 28 days		28 days-11 months	
	1982	1981	1982	1981	1982	1981
Total.....	20.3	22.6	14.6	17.4	5.7	5.3
1.....	19.0	24.7	12.2	20.1	6.8	4.6
2.....	21.7	24.1	14.1	15.7	7.6	8.4
3.....	2.8	4.7	1.4	6.3	1.4	-
4.....	20.4	22.3	14.3	18.3	6.1	4.1
5.....	32.3	28.7	26.3	20.6	5.9	8.1
6.....	25.3	22.1	21.7	17.0	3.6	5.1
7.....	22.2	24.4	15.3	20.2	6.9	4.2
8.....	13.7	22.5	8.3	16.6	5.3	5.9

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1982

	Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
	Total	190	78	43	16	47	6
01	Certain Intestinal Infections	-	-	-	-	-	-
02	Whooping Cough	-	-	-	-	-	-
03	Meningococcal Infection	-	-	-	-	-	-
04	Septicemia	2	1	-	-	1	-
05	Viral Diseases	-	-	-	-	-	-
06	Congenital Syphilis	-	-	-	-	-	-
07	Remainder of Infectious and Parasitic Diseases	2	-	-	-	2	-
08	Malignant Neoplasms, Including Neoplasm of Lymphatic & Hematopietic Tissues	-	-	-	-	-	-
09	Benign Neoplasms, Carcinoma in Situ, and Neoplasms Nec	1	-	-	-	1	-
10	Diseases of Thymus Gland	-	-	-	-	-	-
11	Cystic Fibrosis	-	-	-	-	-	-
12	Diseases of Blood and Blood-Forming Organs	1	-	-	-	1	-
13	Meningitis	1	-	-	-	1	-
14	Other Diseases of Nervous System and Sense Organs	1	-	-	-	1	-
15	Acute Upper Respiratory Infections	-	-	-	-	-	-
16	Bronchitis and Bronchiolitis	2	-	-	-	2	-
	Pneumonia and Influenza	4	-	-	-	4	-
17	Pneumonia	4	-	-	-	4	-
18	Influenza	-	-	-	-	-	-
19	Remainder of Diseases of Respiratory System	-	-	-	-	-	-
20	Hernia of Abdominal Cavity & Intestinal Obstruction Without Mention of Hernia	-	-	-	-	-	-
21	Gastritis, Duodenitis, & Noninfective Enteritis & Colitis	-	-	-	-	-	-
22	Remainder of Diseases of Digestive System	1	-	-	-	1	-
	Congenital Anomalies	27	5	6	3	10	3
23	Anencephalus and Similar Anomalies	2	2	-	-	-	-

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1982-CONTINUED

	Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
24	Spina Bifida	-	-	-	-	-	-
25	Congenital Hydrocephalus	1	-	-	-	1	-
26	Other Congenital Anomalies of Central Nervous System and Eye	1	-	-	1	-	-
27	Congenital Anomalies of Heart	7	-	2	2	2	1
28	Other Congenital Anomalies of Circulatory System	1	-	-	-	1	-
29	Congenital Anomalies of Respiratory System	6	1	3	-	1	1
30	Congenital Anomalies of Digestive System	1	-	1	-	-	-
31	Congenital Anomalies of Genitourinary System	1	1	-	-	-	-
32	Congenital Anomalies of Musculoskeletal System	-	-	-	-	-	-
33	Downs Syndrome	-	-	-	-	-	-
34	Other Chromosomal Anomalies	3	-	-	-	3	-
35	All Other and Unspecified Congenital Anomalies	4	1	-	-	2	1
	Certain Conditions Originating in the Perinatal Period	128	72	37	11	8	-
36	Newborn Affected by Maternal Conditions Which May be Unrelated to Present Pregnancy	-	-	-	-	-	-
37	Newborn Affected by Maternal Complications of Pregnancy	4	2	2	-	-	-
38	Newborn Affected by Complications of Placenta, Cord and Membranes	5	5	-	-	-	-
39	Newborn Affected by Other Complications of Labor and Delivery	-	-	-	-	-	-
40	Slow Fetal Growth and Fetal Malnutrition	-	-	-	-	-	-
41	Disorders Relating to Short Gestation and Unspecified Low Birthweight	45	32	12	1	-	-
42	Disorders Relating to Long Gestation and High Birthweight	-	-	-	-	-	-
43	Birth Trauma	2	-	1	1	-	-
	Intrauterine Hypoxia and Birth Asphyxia	14	11	2	1	-	-
44	Fetal Distress in Liveborn Infant	-	-	-	-	-	-
45	Birth Asphyxia	14	11	2	1	-	-
46	Respiratory Distress Syndrome	20	3	12	3	2	-
47	Other Respiratory Conditions of Newborn	23	12	5	2	4	-

Table 23.--RESIDENT INFANT DEATHS BY CAUSE AND AGE:
DISTRICT OF COLUMBIA, 1982-CONTINUED

	Cause of Death	Total	Less than One Day	1-6 Days	7-27 Days	28 Days - 5 months	6-11 months
48	Infections Specific to the Perinatal Period	2	1	-	1	-	-
49	Neonatal Hemorrahage	3	1	1	1	-	-
50	Hemolytic Disease of Newborn, Due to Isoimmu., & Other Perinatal Jaundice	-	-	-	-	-	-
51	Syndrome of 'Infant of a Diabetic Mother' and Neonatal Diabetes Mellitus	-	-	-	-	-	-
52	Hemorrhagic Disease of Newborn	-	-	-	-	-	-
53	All Other and Ill-Defined Conditions Originating in the Perinatal Period	10	5	2	1	2	-
	Symptoms, Signs and Ill-Defined Conditions	15	-	-	2	13	-
54	Sudden Infant Death Syndrome	15	-	-	2	13	-
55	Symptoms, Signs, and All Other Ill-Defined Conditions	-	-	-	-	-	-
	Accidents and Adverse Effects	2	-	-	-	1	1
56	Inhal and Ingest Food or Other OBJ Causing Obstr of Resp Tract or Suffocation	-	-	-	-	-	-
57	Accidental Mechanical Suffocation	1	-	-	-	-	1
58	Other Accidental Causes and Adverse Effects	1	-	-	-	1	-
	Homicide	2	-	-	-	1	1
59	Child Battering and Other Maltreatment	1	-	-	-	-	1
60	Other Homicide	1	-	-	-	1	-
61	All Other Causes	1	-	-	-	-	1

Table 24.--THREE YEAR MOVING AVERAGE OF INFANT MORTALITY RATE BY AGE AT DEATH: DISTRICT OF COLUMBIA, 1962-1964 TO 1980-1982

Years	Rates per 1,000 live births				
	All ages	Less than 1 day	1-6 days	7-27 days	28 days-11 months
1962-1964.....	34.0	15.7	7.3	2.2	8.8
1963-1965.....	32.5	14.7	6.9	2.2	8.7
1964-1966.....	33.3	15.9	6.5	2.3	8.5
1965-1967.....	31.8	15.9	6.2	1.8	7.9
1966-1968.....	32.6	16.7	6.5	1.7	7.6
1967-1969.....	30.4	15.7	5.9	1.8	7.0
1968-1970.....	29.9	15.0	5.9	2.2	6.8
1969-1971.....	28.8	14.4	5.6	2.1	6.6
1970-1972.....	28.2	13.4	5.8	2.0	7.0
1971-1973.....	27.1	12.3	5.7	2.0	7.0
1972-1974.....	26.8	11.7	5.8	2.7	6.6
1973-1975.....	27.2	12.1	6.1	2.8	6.1
1974-1976.....	27.0	12.4	6.3	2.7	5.7
1975-1977.....	26.9	12.3	6.2	2.6	5.9
1976-1978.....	26.0	11.8	5.8	2.2	6.1
1977-1979.....	25.0	11.5	5.1	2.2	6.2
1978-1980.....	24.1	11.1	5.1	1.9	6.1
1979-1981.....	23.1	10.5	5.1	1.9	5.6
1980-1982.....	22.5	9.6	5.3	1.8	5.8

Table 25.--LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, INFANT DEATHS, FETAL DEATHS, TOTAL DEATHS, BY PLACE OF OCCURRENCE AND RESIDENCE: DISTRICT OF COLUMBIA, 1982

Place of occurrence resident status	Live births	Out-of-wedlock births	Infant deaths	Fetal deaths	Total deaths
Total recorded events	19,933	6,894	425	219	8,508
District of Columbia residents	8,754	5,139	187	114	5,985
Maryland residents	8,418	1,531	157	73	1,633
Virginia residents	2,677	199	66	29	550
Resident of other states	84	25	13	3	318
Not stated	-	-	2	-	22
Resident events	9,378	5,316	190	114	6,469
Occurring in D.C.	8,754	5,139	187	114	5,985
Occurring in other states	624	177	3	-	484

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1982 AND AVERAGES 1940-1979

Race and Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
Total								
1982	19,933	8,508	425	304	219	21.3	15.3	11.0
1981	20,209	8,678	445	343	232	22.0	17.0	11.5
1980	20,262	8,815	494	376	239	24.4	18.6	11.8
1979	20,157	8,619	434	334	194	21.5	16.6	9.6
1978	19,743	8,755	482	374	222	24.4	18.9	11.2
1977	20,653	8,987	497	379	271	24.1	18.4	13.1
1976	19,916	9,183	480	386	279	24.1	19.4	14.0
1975	19,826	9,423	504	409	241	25.4	20.6	12.2
AVERAGE ANNUAL								
1975-1979	20,059	8,993	479	376	241	23.9	18.7	12.0
1970-1974	23,447	10,121	583	455	325	24.9	19.4	13.9
1965-1969	28,461	10,587	754	582	448	26.5	20.4	15.7
1960-1964	33,190	10,415	958	727	528	28.9	21.9	15.9
1955-1959	33,318	9,760	946	740	531	28.4	22.2	15.9
1950-1954	31,135	8,974	785	628	540	25.2	20.2	17.3
1945-1949	26,558	8,617	821	632	571	30.9	23.8	21.5
1940-1944	20,279	8,922	887	611	534	43.7	30.1	26.3

[1] Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2] Per 1,000 live births.

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1982 AND AVERAGES 1940-1979-CONTINUED

Race and Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
BLACK								
1982	11,825	5,140	291	219	159	24.6	18.5	13.4
1981	11,907	5,338	275	206	166	23.1	17.3	13.9
1980	12,085	5,242	308	236	158	25.5	19.5	13.1
1979	12,114	5,069	295	229	139	24.4	18.9	11.5
1978	11,512	5,097	321	252	156	27.9	21.9	13.6
1977	11,967	5,121	333	255	197	27.8	21.3	16.5
1976	11,544	5,167	327	270	201	28.3	23.4	17.4
1975	11,351	5,166	309	246	179	27.2	21.7	15.8
AVERAGE ANNUAL								
1975-1979	11,698	5,124	317	250	174	27.1	21.4	14.9
1970-1974	12,957	5,302	361	276	218	27.9	21.3	16.8
1965-1969	14,000	5,122	473	357	286	33.8	25.5	20.4
1960-1964	14,766	4,484	562	415	307	38.1	28.1	20.8
1955-1959	13,329	3,785	520	390	274	39.0	29.3	20.6
1950-1954	10,895	3,301	363	301	263	33.3	27.6	24.1
1945-1949	7,856	3,070	340	253	265	43.3	32.2	33.7
1940-1944	5,488	3,148	408	260	227	74.3	47.4	41.4

[1]Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2]Per 1,000 live births.

Table 26.--RECORDED NUMBER OF LIVE BIRTHS AND DEATHS: NUMBER AND RATES OF INFANT, NEONATAL AND FETAL DEATHS BY RACE: DISTRICT OF COLUMBIA, 1975-1982 AND AVERAGES 1940-1979-CONTINUED

Race and Year	Live births	Deaths	Number			Rates[2]		
			Infant deaths	Neonatal deaths	Fetal deaths[1]	Infant deaths	Neonatal deaths	Fetal deaths
WHITE								
1982	8,108	3,368	134	85	60	16.5	10.5	7.4
1981	8,302	3,340	170	137	66	20.5	16.5	7.9
1980	8,177	3,573	186	140	81	22.7	17.1	9.9
1979	8,043	3,550	139	105	55	17.3	13.1	6.8
1978	8,231	3,658	161	122	66	19.6	14.8	8.0
1977	8,686	3,866	164	124	74	18.9	14.3	8.5
1976	8,372	4,016	153	116	78	18.3	13.9	9.3
1975	8,475	4,257	195	163	62	23.0	19.2	7.3
AVERAGE ANNUAL								
1975-1979	8,361	3,869	162	126	67	19.4	15.1	8.0
1970-1974	10,490	4,819	222	179	107	21.2	17.1	10.2
1965-1969	14,461	5,465	281	225	162	19.4	15.6	11.2
1960-1964	18,424	5,931	396	312	221	21.5	16.9	12.0
1955-1959	19,989	5,975	426	350	257	21.3	17.5	12.9
1950-1954	20,240	5,673	422	327	277	20.8	16.2	13.7
1945-1949	18,702	5,547	481	379	306	25.7	20.3	16.4
1940-1944	14,791	5,774	479	351	307	32.4	23.7	20.8

[1]Includes only fetal deaths for which period of gestation was given as 20 weeks or more or was not stated.

[2]Per 1,000 live births.

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
Total.....	9,378	5,316	225	1,212	6,469	190
Resident Unknown.....	33	17	1	5	17	2
1.....	42	3	-	1	44	-
2.....	24	2	-	2	17	-
3.....	35	2	-	-	48	-
4.....	16	2	-	3	7	-
5.1.....	11	1	-	-	19	-
5.2.....	39	2	-	3	44	1
6.....	44	5	-	2	72	-
7.....	44	4	1	1	89	-
8.....	79	4	-	6	60	-
9.....	51	4	-	1	52	-
10.1.....	65	5	1	4	70	1
10.2.....	13	-	-	1	19	-
11.....	44	2	-	2	33	-
12.....	58	4	1	3	35	-
13.....	53	1	-	2	109	-
14.....	55	4	-	2	83	-
15.....	58	5	-	-	51	-
16.....	30	7	1	2	45	1
17.....	96	40	1	14	58	2
18.1.....	1	1	-	1	3	-
18.2.....	85	30	-	5	50	-
19.....	92	55	2	12	84	2
20.....	90	40	2	6	64	1
21.1.....	84	47	1	11	64	1

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
21.2.....	63	30	4	8	56	1
22.1.....	33	19	1	4	50	2
22.2.....	51	31	3	11	38	1
23.1.....	52	36	2	7	44	4
23.2.....	4	3	-	-	138	-
24.....	71	40	-	7	62	1
25.1.....	37	19	1	1	20	-
25.2.....	67	28	3	5	55	-
26.....	23	7	1	2	29	-
27.1.....	87	30	2	6	29	1
27.2.....	93	43	2	9	51	1
28.....	147	70	5	17	72	4
29.....	79	54	2	7	41	-
30.....	52	36	2	5	34	1
31.....	54	31	1	9	40	2
32.....	82	55	1	14	74	-
33.1.....	66	41	2	14	56	2
33.2.....	62	40	1	5	41	2
34.....	47	30	1	7	53	3
35.....	53	40	2	10	51	-
36.....	84	58	2	9	64	2
37.....	100	53	4	10	72	3
38.....	88	47	3	12	29	2
39.....	75	21	2	11	39	-
40.....	56	17	2	8	53	-
41.....	42	3	-	-	25	-

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
42.1.....	41	23	-	3	23	-
42.2.....	44	12	2	7	26	1
43.....	42	21	1	4	45	2
44.....	55	40	3	7	48	3
45.....	26	17	1	7	35	1
46.....	96	70	3	16	58	3
47.....	88	67	2	13	83	1
48.1.....	46	37	2	6	40	1
48.2.....	62	39	1	10	44	2
49.1.....	61	38	-	12	37	3
49.2.....	23	16	-	4	41	-
50.....	67	37	3	11	78	-
51.....	9	5	-	2	23	-
52.1.....	50	14	-	9	47	1
52.2.....	10	3	-	-	5	-
53.1.....	50	20	4	6	26	-
53.2.....	4	3	-	-	8	-
54.1.....	9	7	-	1	8	-
54.2.....	3	3	1	1	3	-
55.....	23	5	-	-	40	-
56.....	12	1	-	-	36	-
57.1.....	11	5	-	1	12	-
57.2.....	8	5	-	1	1	-
58.....	22	7	1	3	23	1
59.....	16	7	-	3	29	-
60.1.....	24	6	-	3	10	-

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
60.2.....	24	19	1	7	7	1
61.....	9	3	-	1	8	-
62.....	4	1	-	2	1	-
63.1.....	30	17	1	4	35	1
63.2.....	2	1	-	1	1	-
64.....	43	37	6	10	29	5
65.1.....	12	-	-	1	6	-
65.2.....	4	-	-	-	13	-
66.....	18	3	-	3	13	-
67.....	57	23	1	3	31	1
68.1.....	37	26	1	5	51	2
68.2.....	42	33	2	5	37	1
68.3.....	-	-	-	-	-	-
69.....	32	19	-	6	37	2
70.1.....	-	-	-	-	-	-
70.2.....	28	16	2	4	15	-
71.....	50	36	5	14	39	7
72.....	53	46	-	5	50	1
73.1.....	171	9	-	9	7	1
73.2.....	90	58	1	14	48	2
73.3.....	103	66	2	17	31	-
73.4.....	74	51	2	15	24	2
73.6.....	162	113	4	15	32	3
73.7.....	130	89	1	19	33	3
73.8.....	17	-	-	3	46	-
74.1.....	106	89	4	15	19	-

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS,[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
74.2.....	204	165	9	34	60	4
74.4.....	123	102	2	13	29	1
74.5.....	177	127	6	28	35	2
75.1.....	126	87	1	27	53	1
75.3.....	52	33	3	7	12	-
75.4.....	16	10	-	2	5	-
75.5.....	36	26	-	7	8	-
76.1.....	108	69	2	9	53	1
76.3.....	72	27	-	8	37	2
76.4.....	66	39	-	10	20	3
76.5.....	83	48	1	13	37	3
77.2.....	71	35	2	11	63	2
77.3.....	137	93	2	20	43	2
77.5.....	245	182	9	31	101	7
77.6.....	102	67	1	17	35	2
77.7.....	66	42	1	16	38	2
77.8.....	78	43	4	19	25	1
77.9.....	20	14	-	1	16	-
78.1.....	145	113	4	19	51	4
78.2.....	65	43	1	8	69	1
78.3.....	77	55	5	11	69	1
78.4.....	73	54	1	10	41	4
78.5.....	106	78	5	16	56	1
78.7.....	44	25	1	6	21	-
78.8.....	120	95	2	22	52	1
79.1.....	65	44	2	12	54	1

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS,[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
79.2.....	27	19	-	2	25	1
80.1.....	56	40	1	9	47	1
80.2.....	59	38	4	8	47	2
81.....	56	22	-	2	33	-
82.1.....	9	4	-	-	4	1
82.2.....	14	1	-	2	15	1
83.3.....	4	3	-	-	12	-
83.4.....	39	15	2	3	27	-
83.5.....	5	3	-	1	5	-
83.6.....	15	7	1	2	12	-
84.1.....	10	7	-	5	2	-
84.2.....	76	49	-	13	72	3
85.....	72	56	2	9	73	1
86.1.....	2	1	-	-	-	-
86.2.....	5	3	-	1	7	1
87.....	78	61	-	15	68	2
88.1.....	85	65	3	13	74	5
88.2.....	96	74	3	13	74	-
89.1.....	67	48	4	10	38	3
89.2.....	65	46	2	9	58	3
90.....	38	13	1	4	63	-
91.1.....	38	22	1	3	53	2
91.2.....	89	69	2	10	55	1
92.....	94	53	1	6	92	2
93.....	91	60	5	15	75	6

Table 27.--RESIDENT LIVE BIRTHS, OUT-OF-WEDLOCK BIRTHS, BIRTHS WITH NO PRENATAL CARE, IMMATURE BIRTHS;[1] TOTAL DEATHS AND INFANT DEATHS BY CENSUS TRACT: DISTRICT OF COLUMBIA, 1982-CONTINUED

Census Tract	Live Births	Out-of-Wedlock Births	Live Births with no Prenatal Care	Immature Births[1]	Deaths	
					All Ages	Under 1 year of Age
94.....	48	20	1	3	58	-
95.1.....	54	34	3	12	24	4
95.2.....	81	33	-	10	72	4
95.3.....	40	11	-	2	47	2
95.5.....	34	22	-	7	33	-
95.7.....	14	12	1	2	10	-
95.8.....	39	23	-	4	23	-
96.....	5	4	-	1	34	1
97.....	143	114	4	25	23	2
98.....	143	116	3	19	36	2

[1] With birth weight of 2,500 grams or less.

TABLE 28.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1982

Type of Accident	Age (in years)						
	Total	Under 5	5-14	15-24	25-44	45-64	65 Years and Over
Total[1]	342	16	12	32	107	93	82
Work	15	-	-	2	6	6	1
Agriculture	1	-	-	1	-	-	-
Construction	8	-	-	1	5	2	-
Manufacturing	1	-	-	-	-	1	-
Service	3	-	-	-	-	3	-
Government	2	-	-	-	1	-	1
Home	105	8	2	4	19	28	44
Poisonings (Gas excepted)	6	-	-	-	6	-	-
Poisonings by Gases and Vapors	3	-	-	-	2	-	1
Falls	47	3	-	-	7	18	19
Fires	29	4	2	2	2	9	10
Drowning	1	-	-	-	-	-	1
Suffocation, Ingested Food or Object	11	1	-	-	1	1	8
Suffocation, Mechanical	1	-	-	-	-	-	1
Firearms	2	-	-	2	-	-	-
Other and Unspecified Home Accidents	5	-	-	-	1	-	4
Motor Vehicle	74	3	9	16	24	13	9
Injury to Pedestrian	21	3	3	3	7	1	4
Injury to Pedal Cyclist	2	-	1	1	-	-	-
Collision with Other Motor Vehicle	18	-	1	4	6	5	2
Collision with Fixed Object	4	-	-	1	1	2	-
Noncollision	27	-	4	6	9	5	3
Other and Unspecified Accidents	2	-	-	1	1	-	-

TABLE 28.--RECORDED DEATHS FROM ACCIDENTAL CAUSES BY AGE AND TYPE OF ACCIDENT: DISTRICT OF COLUMBIA, 1982 -CONTINUED

Type of Accident	Age (in years)						
	Total	Under 5	5-14	15-24	25-44	45-64	65 Years and Over
Public Non-Motor Vehicle.....	126	5	1	10	56	41	13
Railroad-Not with Motor Vehicle	3	-	-	-	1	1	1
Air Transport.....	88	4	-	6	40	30	8
Fires.....	2	-	-	1	1	-	-
Drowning.....	9	-	1	3	5	-	-
Other and Unspecified Public Accidents.....	24	1	-	-	9	10	4
Type of Accident Unknown.....	22	-	-	-	2	5	15

[1]Includes deaths occurring within the District of Columbia of residents and non-residents.

85-6P018